

Product Description

Model:	2022 3D 200J TOECAP 200J TOECAP 200J TOECAP
Part No.:	TM236
Material:	3D 'PU' 3D 'TPU' 3D 'TPU' 3D 'TPU'
Weight:	1. 200J TOECAP 200J TOECAP 200J TOECAP. 2. non-slip 200J TOECAP.
Load Capacity:	1. 200J TOECAP 200J TOECAP 200J TOECAP '1100N'. 200J TOECAP 200J TOECAP 200J TOECAP. 2. non-slip 200J TOECAP
Color:	3D 200J TOECAP 200J TOECAP
Size:	200J TOECAP 200J TOECAP
Features:	200J TOECAP 200J TOECAP 200J TOECAP 200J TOECAP
Application:	200J TOECAP 200J TOECAP 'HI-POLY' 200J TOECAP 200J TOECAP 200J TOECAP 200J TOECAP.
Usage:	200J TOECAP 200J TOECAP
Material:	200J TOECAP 200J TOECAP
Weight:	37-47
Compliance:	CE EN ISO 20345:2011 S3 SRC 200J TOECAP.
Weight:	6 200J TOECAP 200J TOECAP 200J TOECAP 6 200J TOECAP 200J TOECAP 200J TOECAP 200J TOECAP. 200J TOECAP 200J TOECAP.
Weight:	100% 200J TOECAP, 200J TOECAP / 200J TOECAP / 200J TOECAP / 200J TOECAP / 200J TOECAP, 200J TOECAP, 200J TOECAP, 200J TOECAP, 200J TOECAP.
Weight:	1 200J TOECAP / 200J TOECAP, 10 200J TOECAP. 200J TOECAP: 58.5 200J TOECAP 40 200J TOECAP 32.5 200J TOECAP
Weight:	3300 200J TOECAP / 1x20" 200J TOECAP 6600 200J TOECAP / 1x40" 200J TOECAP

Product Pictures



200 JOULE TOECAP



SLIP-RESISTANT



SHOCK ABSORPTION



ANTI-STATIC



PETROL AND CHEMICAL RESISTANT



ANTI-NAIL MIDSOLE



OIL RESISTANT





01

Impact Resistant

European Standard Composite Toe Cap



02

PUNCTURE PROOF

Non-metallic Anti-penetration Insoles



03

SLIP RESISTANT

TPU outsole and CE anti slip standard





Company Information

本公司生產之 PVC 安全鞋，符合 ISO 9001:2015 品質管理系統認證。產品符合 CE ENISO 20345:2011 及 ASTM F2413-18 安全標準。鞋面採用優質 PVC 材料，具有防水、防油、防刺穿、防砸、防靜電、防電擊、防化學品、防酸鹼、防 y 射線、防 x 射線。

本公司安全鞋採用高品質材料，具有舒適、透氣、防滑、耐磨、防靜電、防電擊、防化學品、防酸鹼、防 y 射線、防 x 射線等優點。歡迎各界人士垂詢。

Tiger Master 安全鞋，品質優良，價格公道，歡迎各界人士垂詢。

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY