

DESCRIPTION

TIGER MASTER

1. 此 膠 帶 係 專 為 工 業 用 途 而 設 . 其 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 . PU 膠 帶 係 由 高 質 量 之 膠 帶 製 成 .
 2. 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 . CE 膠 帶 . 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 . 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 .
 3. 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 .
 4. 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 . PU 膠 帶 係 由 高 質 量 之 膠 帶 製 成 . CE EN ISO 20345:2011 膠 帶 係 由 高 質 量 之 膠 帶 製 成 .
 5. 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 .
 6. 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 .
 7. 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 .
- OB:** 膠 帶, **SB:** 膠 帶 膠 帶, **SBP:** 膠 帶 膠 帶 膠 帶
S1: SB膠帶 膠, **S1P:** S1膠, **S2:** S1膠, **S3:** S1P膠
8. 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 , 具 有 高 強 度 及 耐 磨 損 之 特 點 . 此 膠 帶 係 由 高 質 量 之 膠 帶 製 成 .

膠 帶 型 號:	TM267G
膠 帶 材 質:	膠 帶: 膠 帶 膠 帶 膠 帶, 膠 帶 膠 帶PU
膠 帶 規 格:	1. 膠 帶 200mm 膠 帶 膠 帶 . 2. non 膠 帶 膠 帶 .
膠 帶 厚 度 :	1. 1100mm 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 . 2. non 膠 帶 膠 帶
膠 帶 膠 帶:	膠 帶 膠 帶
膠 帶 膠 帶:	膠 帶
膠 帶 膠 帶:	膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶
膠 帶 膠 帶:	膠 帶 膠 帶 HI-POLY 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶
膠 帶 膠 帶:	膠 帶 膠 帶
膠 帶 膠 帶:	膠 帶 膠 帶
膠 帶 膠 帶:	36-47
膠 帶 膠 帶:	CE EN ISO 20345 SB-P SRC or 膠 帶
膠 帶 膠 帶:	6 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 . 膠 帶 膠 帶 膠 帶 膠 帶 .
膠 帶 膠 帶:	膠 帶/ 膠 帶/ 膠 帶/ 膠 帶/ 膠 帶/ 膠 帶 膠 帶, 膠 帶 膠 帶, 膠 帶 膠 帶.
膠 帶 膠 帶:	color box 膠 帶 1 pair , carton 膠 帶 10pairs. 膠 帶 膠 帶: 59 x 44 x 33cm
膠 帶 膠 帶 膠 帶:	3200mm /1x20" 膠 帶 膠 帶 6400mm /1x40 膠 帶 膠 帶

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT







PACKING



COMPANY INFORMATION

TIGER MASTER

本公司提供 PVC 安全鞋。符合 ISO 9001:2015 质量管理体系标准。产品符合 CE ENISO 20345:2011 及 ASTM F2413-18 安全鞋标准。材料采用 PPE(安全鞋材料), 鞋底采用橡胶、PU、EVA 等, 具有防滑、耐磨、减震、透气、防静电等功能。

Tiger Master 安全鞋符合 CE 认证标准。产品符合 EN ISO 20345:2011 安全鞋标准。产品符合 ASTM F2413-18 安全鞋标准。产品符合 ISO 9001:2015 质量管理体系标准。



TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)