

DESCRIPTION

TIGER MASTER

1. 此 膠 帶 係 專 為 膠 帶 機 而 設 . 此 膠 帶 係 由 高 質 量 之 膠 帶 機 所 製 成 . PU 膠 帶 係 由 膠 帶 機 所 製 成 .
 2. 此 膠 帶 係 由 膠 帶 機 所 製 成 CE 膠 帶 . 此 膠 帶 係 由 膠 帶 機 所 製 成 . 此 膠 帶 係 由 膠 帶 機 所 製 成 .
 3. 此 膠 帶 係 由 膠 帶 機 所 製 成 HI-POLY 膠 帶 . 此 膠 帶 係 由 膠 帶 機 所 製 成 .
 4. 此 膠 帶 係 由 膠 帶 機 所 製 成 PU 膠 帶 CE EN ISO 20345:2011 膠 帶 . 此 膠 帶 係 由 膠 帶 機 所 製 成 .
 5. PUTEK 膠 帶 係 由 膠 帶 機 所 製 成 , 此 膠 帶 係 由 膠 帶 機 所 製 成 .
 6. 此 膠 帶 係 由 膠 帶 機 所 製 成 , 此 膠 帶 係 由 膠 帶 機 所 製 成 .
 7. 此 膠 帶 係 由 膠 帶 機 所 製 成 :
- OB:** 膠 帶, **SB:** 膠 帶 膠 帶, **SBP:** 膠 帶 膠 帶 膠 帶
S1: SB膠帶 膠 帶, **S1P:** S1膠帶, **S2:** S1膠帶, **S3:** S1P膠帶
8. 此 膠 帶 係 由 膠 帶 機 所 製 成 . 此 膠 帶 係 由 膠 帶 機 所 製 成 .

膠 帶 號 數:	TM268
膠 帶 名 稱:	膠 帶: PUTEK 膠 帶 膠 帶, 膠 帶PU 膠 帶 膠 帶
膠 帶 規 格:	1. 膠 帶 200mm 膠 帶 膠 帶 . 2. non 膠 帶 膠 帶 .
膠 帶 厚 度 :	1. 1100mm 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 . 2. non 膠 帶 膠 帶
膠 帶 材 質:	膠 帶
膠 帶 色 澤:	膠 帶
膠 帶 廠 家:	膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶
膠 帶 機 型:	膠 帶 膠 帶 HI-POLY 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶
膠 帶 尺 寸:	膠 帶 膠 帶
膠 帶 尺 寸:	膠 帶 膠 帶
膠 帶 尺 寸:	36-47
膠 帶 尺 寸:	CE EN ISO 20345 SB-P SRC or 膠 帶
膠 帶 尺 寸:	6 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 膠 帶 . 膠 帶 膠 帶 膠 帶 膠 帶 .
膠 帶 尺 寸:	膠 帶/ 膠 帶/ 膠 帶/ 膠 帶/ 膠 帶/ 膠 帶 膠 帶, 膠 帶 膠 帶, 膠 帶 膠 帶.
膠 帶 尺 寸:	color box 膠 帶 1 pair , carton 膠 帶 10pairs. 膠 帶 尺 寸: 58.5 x 40 x 32.5cm
膠 帶 尺 寸:	3200mm /1x20" 膠 帶 膠 帶 6400mm /1x40 膠 帶 膠 帶

PRODUCT PICTURES

TIGER MASTER



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT

TIGER MASTER®

CE APPROVED



Breathable Air Hole mesh

PUTEK Technology
Textile Upper

Abrasion Resistant
Supported Counterpart

Wide Fitting
Composite Toe Cap



Anti Static Performance



Shock Absorption
Double Density PU Sole



Superior Comfortable
Memory Foam Insoles

Anti-nail Penetration Midsole





01

Composite Toe

Anti-Shock Composite toe cap

Composite toe cap design giving protection from dangerous falling objects

European Standard Composite Toe Cap

- ① Composite toe shoes with CE standard
- ② Impact resistance of 200J
- ③ Widened Composite Toe
- ④ Pressure resistance > 15KN



02

Puncture Proof

Puncture Proof Midsole

**Aramid fiber mid-sole puncture proof 1100 newtons,
To protect your feet without puncture by nail or
sharp objects.**

Aramid fiber mid-sole



03

Anti-Slip

PU Out Sole

Slip-resistant PU outsole meets CE EN ISO
20345:2011 Non-Slip Testing Standards.

**Provides stronger wear-resisting,
a slip-resistant PU outsole for excellent stability.**



PACKING



COMPANY INFORMATION


TIGER MASTER

本公司提供 PVC 鞋面。符合 ISO 9001:2015 质量管理体系。通过 CE ENISO 20345:2011 及 ASTM F2413-18 安全鞋标准。采用 PPE(个人防护装备) , 符合 EN 15065 标准, 提供 40, 45, 50, 55 尺码, 男/女款, 以及 y 系列, 100/100 等。

Tiger Master 提供安全鞋。符合 EN 15065 标准。通过 ISO 9001:2015 质量管理体系。提供 40, 45, 50, 55 尺码。提供男/女款。提供 y 系列。提供 100/100 等。



TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER

Link to PPE products website <https://china-workwear.com>



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)