

Product Description

Model:	TM3010
Material:	Upper : PU / PU Insole : PU / PU
Weight:	1. 200g Steel toe 2. 200g
Strength:	1. 1100 Newton 2. 200g
Upper:	PU
Insole:	PU
Inner Lining:	Air mesh fabric (it is breathable.)
Midsole:	EVA
Outsole:	PU
CE:	CE
Size:	38-46
Standard:	CE EN ISO 20345 : 2011 SB-P SRC
Quantity:	6 pairs
Order:	1 pair per color, 10 colors
Dimensions:	59 x 44 x 33 cm
Quantity per container:	3300pairs / 1x20' container 6600pairs / 1x40' container

Product Pictures







SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY