## Product Description

- Tiger master □□□ □□□□ □□□ □□□□ □□□□ □□□□ □□□□□ □□□□□□. □ □□□□ □□□□ □□□ □□ □□ □□□ □□□ □□□□ □□ □□□ □□ TPU □□□ □□□□□.
- □□□ □□ □□ □□□□ □□□□ □□ □□□ □□.
- □□□□ □□□ □□□□□ HI-POLY □□□□ □□ □□□□ □□ □□□□ □□□□ □□□□□.
- □□□ □□ 200□□ □□□□ □□ □ □. □□ □□ □□□ □□□□□.
- □□ □□ □□ □□ □□ 1100 □□□ □□□□ □□□□□. □□□ □□□□ □□□ □□□ □□□ □□ □□ □□□□□.
- □□ □□ □□ □□□ □□□□□□ □□□□ □□□□ □□□□ □□□ □□□ □□□ □□□□.
- TPU □□□ CE □□□ □□□□ □□ □ □□□ □□ □□□ □□□□.
- □□ □□ □□, □□□□ □□, □□ □□, □□ □□.
- □□□ □□□□:

□□□□**:** □□□, **SB:** □□ □□□□ □□ □□, **SBP:** □□ □ □ □□ □□□ □□

□□ **1:** SB□□□ □□, **S1P:** S1□□, □□ **2:** S1□□, □□**3:** S1P□□

- □□□ □□□ □□□□ □□□□ □□□□ □□□ □□ □□□□ □□ □□□□□. □□□ □□□ □□ □□□ □□□□□□!

| | |
|---|---|
| □□□: | □□□ □□ □□ □□ □□ □□□ □□ □□ □□□ |
| □□ □□: | TM310 |
| □□ □ □: | □□: □□ □□ □□; □□: PU/PU □□ PU/TPU |
| □□□: | 1. □□ □□□□ 200 □□ □□ □□ □. □□ □□ □ □ |
| | 2. non □ □□□□□. |
| □□: | 1. □□ □□ 1100 □□□ □□. □□ □□□□ □□□ □□ |
| | 2. non □ □□ |
| □□: | □□□ □□□□ □□ |
| □: | □□□ □□□□ □□ |
| □□: | □□□□ □□□□ □□ □□□ □□ |
| □□ □□: | □□□ □□□ '□□□' HI-POLY '□□'□ '□□□' □□□ '□□'□ '□□'□ □□□□ □□□□□. |
| □□: | □□ |
| □: | □□ □□ |
| □□: | 36-48 |
| □□: | CE EN ISO 20345 SB-P SRC □□□□ |
| □□□□: | 6 □□<br>□□□ □□□ □□□ □□□ □ 6 □□ □□□ □□□ □□□□ □□ □□□ □□□□ □□□□. □□□ □□ □□□ □□□□. |
| □□: | □□□□/ □□/ □/ □□□/ □□/ □□/ □□ □□, □□ □□, □□□, □□□□ & □□ □□ □□. |
| □□□: | 1 □ /□□ □□, 10 □ □□□.□□ □□: 59 x 44 x 33 cm |

| | |
|---|---|
| □□□□□ □□□: | 3000□/1x20" □□□□<br>6000□/1x40 □□□□ |

## Product Pictures

TIGER MASTER®

# PACKING

## COMPANY INFORMATION TIGER MASTER

□□□ □□□□ □□□ □ PVC □□ □□ □□. □□□ ISO 9001:2015 □□ □□ □□□□ □□□□□□□. □□ □□ □ □□ □□□ CE ENISO 20345:2011 □ ASTM F2413-18 □□□ □□□□□. □□, □□□ □□ □□ □□□ **PPE(□□ □□ □□)** , □□ □□□□ □ □□□, □□□, □□, □□ □□ , □□□/□□□, □□ y □□□ , □□/□ □.

Tiger Master□ □□□ □□ □□□ □□□□□. □□□ □□□ □□ □□□□ □□□ □□□ □ □□□ □□□□. □ □□ □□□ □□□□□ □□□□ □□ □ □□□□ □□□ □□□□. □□□ □□ □□□□ □□□□ □□□□.

# TIGER MASTER OFFICE SHOW



# TIGER MASTER SAMPLE ROOM





# SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

# Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

# Personal Protective Equipment
# Work safety solution provider

Link to PPE products website https://china-workwear.com

*Safety Work Shoes*

**View More**

*PVC Rain Boots*

**View More**

*Military Army Boots*

**View More**

*Rain Coat/ Suit*

**View More**

*Work Garments*

**View More**

*Reflective Safety Vest*

**View More**

*Safety Work Gloves*

**View More**

*Safety Helmets*

**View More**

Safety Harness

**View More**

*Ear muff/ Plugs*

**View More**

**Safety Goggles**

**View More**

**Warning Tape**

**View Details**