

Product Description

Model:	TM5008
Material:	PU
Weight:	200 g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Strength:	Kevlar 1100 Newton (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345)
Standard:	CE EN ISO 20345
Color:	
Size:	
Material:	
Sockliner:	PU
Material:	PU
Material:	
Weight:	38-46 g
Weight:	6 g
Material:	
Dimensions:	58.5 x 40 x 32.5 cm
Quantity:	3300pairs / 1x20 'pairs 6600Pairs / 1x40 'pairs

Product Pictures





TIGER MASTER SAFETY SHOES

Your safety is our concern

Genuine cow suede leather



Steel toe cap
Impact resistant

Comfortable Insoles
Breathable



PU dual density Sole
Oil & acid & slip resistant

Steel plate
Puncture Resistant



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY