

## Product Description

|                  |   |
|------------------|---|
| Model:           | TM7002  |
| Upper material:  | Upper is Split crazy PU & Mesh.   |
| Toe cap:         | Composite toe cap or 200g.<br>(ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.      |
| Weight:          | 1100g.<br>(ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.                          |
| Weight per pair: | 1.60 kgs / pr   |
| Color:           | Black   |
| Material:        | PU & Mesh   |
| Style:           | Work boot   |
| Feature:         | Anti-static   |
| Application:     | Work boot   |
| Upper material:  | PU & Mesh   |
| Material:        | PU  |
| Material:        | Mesh  |
| Material:        | EUR 38 ~ 46   |
| Material:        | 6 pairs   |
| Material:        | Oil / Water / Acid resistant, Anti-static, Anti-slip, Breathable. Non-slip sole, Anti-static. |
| Material:        | 1 pair per color box, 10 pairs per box. Carton size 58.5 x 40 x 32.5 cm                       |
| Material:        | 3300pairs / 1x20' container<br>6600pairs / 1x40' container                                    |

## Product Pictures





# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY