

Product Description

Model:	YKK
Model:	TM7004
Upper:	Upper is Split crazy PU & mesh.
Toe cap:	Steel toe cap or composite toe cap 200g. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.
Weight:	1100g (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) Non-slip.
Weight:	1.60 kgs / pr
Material:	PU
Material:	PU mesh
Material:	YKK
Material:	YKK
Material:	PU
Material:	PU
Material:	PU
Material:	EUR 38 ~ 46
Material:	6
Material:	Oil / Water / Dust, Heat, Cold, Acid, Alkali, Salt, Grease, etc.
Material:	1 pair per color box, 10 pairs per box. Carton size 59 x 44 x 33 cm
Material:	3300pairs / 1x20' container 6600pairs / 1x40' container

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection