

Product Description

000:	0000 00 00 00 00 00 00 0000 00 00 00
00 00:	TMC002
00 00 :	00 : PU 00 0 0000 00 0000 : EVA & 00 (00000)
000:	1. 0 00000 0000 00 0000 0 200 0. 2. 00 000000.
000 :	1. 00 00000 1100 00 0000 0000 00 00 0000. 2. 00 000000.
00:	PU 00
0:	0000 00 0000
0:	00000 00 00 0 00 00 0000
00 0000 :	00 EVA 00 HI-POLY 00 PU, 00000 00000 00 0 00 0 00 00
00:	000
00:	00 00
00:	EUR 36-46 (00 2-12)
00:	CE EN ISO 20345 SB-P 00 00
00:	6 00
00:	0000, 00, 00 00, 00, 00, 00 00, 00 00 0
0000:	00 00 0 1 0 0, 00 0 10 0 0. 00 : 58.5 x 40 x 32.5 cm
000000 00 00 :	3300 0 / 1x20 '000000 6600 0 / 1x40' 00000

Product Pictures





Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather



CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles