

## Product Description

000:	0000 0000 00 00 00 00 0 0000 00 0000
00 00:	TMC044
00 00 :	00 : TPU + 00 00 + 0000 00 0000 : EVA & 00 (MD 000)
000:	1. 0 00000 0000 00 0000 0 200 0. 2. 00 000000.
000 :	1. Kevlar 00000 1100 0000 00 00000 00000. 2. 00 000000.
00:	0000 00
0:	0000 00
00:	00000 00 00000 00 00000 00 00000 000000.
00 0000 :	00 EVA 00 HI-POLY 00 PU, 00000 00000 00 0 00 0 00 00
00:	000
00:	00 00
00:	EUR 36-46 (00 2-12)
00:	CE EN ISO 20345 S1-P SRC 00 00
00:	6 00
000:	00 00 0 1 0 0, 00 0 10 0 0.
00 00	58.5x40x32.5 00 00
000000 00 00 :	3300 0 / 1x20 '000000 6600 0 / 1x40 '000000

## Product Pictures





# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**




**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY