

Product Description

| | |
|------------|---|
| Model: | PU Rigger S3 Src. |
| Part No: | W1022. |
| Material: | PU : PU / PU PU PU PU PU : PU / PU PU PU PU |
| Weight: | 1. PU PU PU PU PU 200 PU. PU PU PU PU PU. 2. PU PU PU PU PU. |
| Length: | 1. PU PU PU PU 1100 PU. PU PU PU PU PU PU PU PU PU 2. PU PU PU PU PU |
| Material: | PU PU PU |
| Material: | PU PU PU PU PU PU PU PU PU |
| Material: | PU PU PU PU (PU PU PU PU PU PU) |
| Sockliner: | PU PU PU PU PU PU PU PU PU EVA (PU PU PU PU PU PU PU PU) |
| Material: | PU PU |
| Length: | 28-29 cm (PU) |
| Length: | 37-47. |
| Material: | CE EN ISO 20345 : 2011 S3 SRC PU PU PU. |
| Material: | 6 PU PU PU PU PU PU PU 6 PU PU PU PU PU PU PU PU PU. PU PU PU PU PU. |
| Material: | C 1 PU PU PU PU PU, PU PU 10 PU. |
| Material: | 68 x 65 x 34.5 cm. |
| Material: | 1800pairs / 1x20 'PU PU 3600pairs / 1x40 'PU PU |

Product Pictures





[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY