

We are the manufacturer of safety shoes. It's our honor to introduce

CREATIVITY SOLE



- **New Technical PU Injection Sole.**
- **We Can Make The Sole Appearance Same As MD (Moulded) Sole, But We Are Injection, They Are Cemented.**
- **The Connected Border Is More Tidy And Clean.**
- **The Shoe Of Cemented MD Sole Degum Easily.**
- **Put On Our Shoe From Now On To Say "BYE BYE" to degumming shoe.**



Product Description

Productnaam:	Tijgermerk stalen neus van het merk antistatische veiligheidsschoenen van dewalt
--------------	--

Item nr:	0132
Bovenste en enige:	Bovenwerk: geel zacht nubuckleer Zool: PU-creativiteitheel
Teen:	1. Stalen neus, deze kan 200 Joule slagvast zijn. 2. non wordt ook verstrekt.
Tussenzool:	1. Stalen plaat, het kan zijn prik resistant 1100 newton. 2. Niet is ook voorzien
Gewicht:	1,4 kg / pr
Kraag:	PU-kunstleer met spons
Tong:	Zacht echt rundsuèdeleer
Voering:	Geel lucht- en droog sandwichweefsel (je voeten blijven droog en comfortabel)
inlegzolen:	Voorgevormd HI-POLY of PU (verminder uw pijn en vermoeidheid door dagelijks werk aanzienlijk)
Bouw:	PU-injectie
Hoogte:	6 duim
Grootte:	38-46 (4-12)
Standaard:	CE EN ISO 20345 S1P SRC of andere als uw vereisten
Garantie:	6 maanden
Pakket:	Kleur binnendoos verpakking, 10 paar in een doos.
Grootte van het karton	59 x 53 x 33 cm
Laad hoeveelheid Container:	2600 paar / 1x20 'container 5200pairs / 1x40 'container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	<p>Issued to: FUJIAN HONGJIAN SHISEI CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO 321117, ZHEJIANG PROVINCE, CHINA</p> <p>Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APC (UK) LTD 1201 Village, North Street, Jersey, Channel Islands, Saint-Helier, Jersey, Channel Islands</p> <p>Date of Issue: 11 January 2018</p> <p>Expiry Date: 11 February 2020</p> <p>Certificate No.: L20170002947 (extension of certificate L20170024196)</p> <p>Product Reference(s): Safety Group: 48801-48802 48803-48804 48805-48806 48807-48808 890-891, 894-897</p> <p>Description: <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Construction</td> <td style="width: 50%;">Insulation</td> </tr> <tr> <td>Turning</td> <td>Steel cables</td> </tr> <tr> <td>Material</td> <td>Steel plates</td> </tr> <tr> <td>Load</td> <td>5000</td> </tr> <tr> <td>Use</td> <td>5000 (Pulley)</td> </tr> <tr> <td>Mount</td> <td>ACB</td> </tr> <tr> <td>Test frequency</td> <td>See technical file</td> </tr> <tr> <td>Test range</td> <td>30-45</td> </tr> <tr> <td>Category</td> <td>899-904</td> </tr> </table> </p> <p>Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APC (UK) LTD 1201 Village, North Street, Jersey, Channel Islands, Saint-Helier, Jersey, Channel Islands</p> <p>Intertek Representative: Intertek (UK) Ltd 1201 Village, North Street, Jersey, Channel Islands, Saint-Helier, Jersey, Channel Islands</p> <p>Signature: <i>C.M.</i> 15/01/2018</p> <p>Signature: <i>[Signature]</i> 15/01/2018</p> <p>Product Reference: L20170002947 (extension of certificate L20170024196)</p> <p>Product Reference: L20170002947 (extension of certificate L20170024196)</p> <p>Product Reference: L20170002947 (extension of certificate L20170024196)</p>	Construction	Insulation	Turning	Steel cables	Material	Steel plates	Load	5000	Use	5000 (Pulley)	Mount	ACB	Test frequency	See technical file	Test range	30-45	Category	899-904
Construction	Insulation																		
Turning	Steel cables																		
Material	Steel plates																		
Load	5000																		
Use	5000 (Pulley)																		
Mount	ACB																		
Test frequency	See technical file																		
Test range	30-45																		
Category	899-904																		



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY