

Product Description

Productnaam:	Anti slipbreathablezomersporttypeveiligheidschoenenstaalteen cap
Item nr:	801
Upper and Sole:	Upper is 3D fly knitting fabric, Sole is PU
Toe cap:	Steel toe cap or composite toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Non-metallic anti-penetration insoles to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Gewicht:	530 grams/per piece
Kleur:	Black or grey
Halsband:	3D fly knitting fabric
Tong:	3D fly knitting fabric
Voering:	breathable air mesh fabric for a comfort fit
Sockliner:	Moulded EVA or HI-POLY or PU
Bouw:	Injectie
Hoogte:	Low ankle
Maat:	38-46
Garantie:	3 maanden
Functie:	slip/ oil/ petrol/ chemical/ impact/ puncture resistant, anti static, shock absorption, light weight, breathable.
Pakket:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures









Model













TIGER MASTER SAFETY SHOES



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY