

## Product Description

Productnaam:	lichtgewicht ademende mode sport veiligheidsschoenen stalen neus
Item nr:	DTA037
Boven- en zool:	Bovenwerk: luchtdoorlatende 3D vliegende gebreide stof Zool: PU dubbele delta plus zool
Teen:	1. Stalen neus, deze kan 200 Joule schokbestendig zijn. 2. non is ook voorzien.
Tussenzool:	1. Stalen plaat, het kan zijn punctie bestendig 1100 Newton. 2. Niet is ook voorzien
Gewicht:	1,0 kg / pr
Halsband:	Luchtdoorlatende 3D vliegende gebreide stof
Tong:	Mesh stof met hoge dichtheid
Voering:	grijze air & dry sandwich mesh stof (je voeten blijven droog en comfortabel)
Inlegzool:	Gegoten EVA of HI-POLY of PU (Verminder uw pijn en vermoeidheid door dagelijks werk aanzienlijk)
Bouw:	PU-injectie
Hoogte:	Lage enkel
Grootte:	37-47 (3-13)
Standaard:	CE EN ISO 20345 SB-P SRC of anderen als uw vereisten
Garantie:	6 maanden
Pakket:	1 paar per color binnendoos verpakking, 10 paar per doos.
Grootte van het karton	58,5 x 40 x 32,5 cm
Laad hoeveelheid container:	3300 paar / 1x20 'container 6600 paar / 1x40 'container

## Product Pictures





## *Company Information*



**Intertek**

**EC Type Examination Certificate**

<b>CE</b>	<b>Issued to:</b>	SHANGHAI HONGJIAN SHIYE CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 3211, ZHANGJIANG PROVINCE, CHINA
	<b>Authorised Representative:</b>	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, Anson Centre, Shatin, New Territories, Hong Kong
	<b>Date of Issue:</b>	13 January 2018
	<b>Expiry Date:</b>	13 February 2020
	<b>Certificate No.:</b>	LEC170002947 (extension of certificate LEC170294194)
	<b>Product Reference(s):</b>	Safety Plug: 48501-08010 48502-08024 48503-08018 48504-08018 48505-08018 800 300 300 300
	<b>Description:</b>	Construction: Insulation Type: Plug Material: Steel metal Lead: Steel Size: 800 (Plug) Mark: ACS Type Marking: See certificate No. Type Range: 30-45 Category: 000-004
	<b>Notified Body:</b>	Intertek (UK) Limited 1400 Water Lane, Borehamwood, Hertfordshire, SG9 6ND, UK Tel: +44 (0)1462 444111 Fax: +44 (0)1462 444112 www.intertek.com
	<b>Signature:</b>	<i>C.M.</i> 15/01/2018 Date
	<b>Printed:</b>	15/01/2018 Date
	<b>Authorised Representative:</b>	Intertek (UK) Limited 1400 Water Lane, Borehamwood, Hertfordshire, SG9 6ND, UK Tel: +44 (0)1462 444111 Fax: +44 (0)1462 444112 www.intertek.com



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**




**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY