

Product Description

Productnaam:	2020 nieuw ontwerp olie antislip suède veiligheidslaarzen heren
Item nr:	ENS032
Boven- en zool:	Echt rundsuèdeleer en -stof PU-zool met dubbele dichtheid
Teenkap:	Stalen neus om schokbestendig te zijn 200 joule. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 standaard) Er is ook een niet-stalen neus aanwezig.
Middenzool:	Stalen plaat om lekbestendig te zijn 1100 Newton. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 standaard) Niet-stalen plaat is ook aanwezig.
Standaard:	CE EN ISO 20345 SB-P SRC of anderen
Kant:	Duurzame ronde veterschoen
Halsband:	Stof met hoge dichtheid
Tong:	Stof met hoge dichtheid
Voering:	Air mesh stof
Inlegzool:	Gegoten EVA of HI-POLY of PU
Bouw:	PU-injectie
Hoogte:	Hoge enkel
Grootte:	EUR 38-46
Garantie:	6 maanden
Functie:	Slip / olie / impact / perforatiebestendig, antistatisch, schokabsorptie
Pakket:	1 paar per verfdooos, 10 paar per doos. Grootte van het karton is 59 x 44 x 33 cm
Laad hoeveelheid container:	3200 paar / 1x20 'container 6400 paar / 1x40 'container

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY