

Product Description

| | |
|----------------------------|--|
| Productnaam: | Hoge enkel anti-slip composiet neus lekvrije echt lederen veiligheidslaarzen |
| Item nr: | ETPU38 |
| Bovenwerk en zool: | Bovenwerk van echt leer, PU / PU-zool met dubbele dichtheid |
| Neus: | Samengestelde neus om slagvast te zijn 200 joule. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345-norm) Niet is ook voorzien. |
| Tussenzool: | Niet-metalen anti-penetratie tussenzool om lekbestendig te zijn 1100 newton. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345-norm) Niet is ook voorzien. |
| | |
| Kant: | Duurzame ronde schoenveters |
| Halsband: | Echt leder |
| Tong: | Oxford-stof met hoge dichtheid |
| Voering: | Ademende mesh-stof |
| Inlegzool: | Gegoten EVA of HI-POLY of PU |
| Bouw: | PU-injectie |
| Hoogte: | Hoge enkel |
| Grootte: | EUR 38-46 |
| Garantie: | 6 maanden |
| Functie: | Metaalvrij, slip / olie / impact / lekbestendig, antistatisch, schokabsorptie |
| Pakket: | 1 paar per verfdoo, 10 paar per doos. Grootte van het karton is 59 x 44 x 33 cm |
| Laadhoeveelheid container: | 3000 paar / 1x20 'container 6000 paar / 1x40 'container |

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY