

Productnaam:	CE SBP standaard veiligheidslaarzen schoenen
Item nr:	3078
Boven- en Sole:	Echt lederen bovenkant, PU dual density zool.
Teen:	1. Stalen neus te slagvast. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDARD, een verscheidenheid aan fitting kiezen uit)
	2. Niet-staalteen is ook voorzien.
Stalen plaat : (Stalen tussenzool)	1. Staalplaat resistent te doorboren. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDARD, Een verscheidenheid aan passend om uit te kiezen)
	2. non-stalen plaat is ook voorzien
Kraag:	PU opgevuld met zware spons.
Tong:	perfect zacht echt leer
Voering:	Stof van het Netwerk
sockliner:	comfortabel kussen
Bouw:	PU injectie
Hoogte:	Midden-Cut
Grootte:	4-12 (38-46)
Garantie:	3 maanden, heavy duty en solide kwaliteit.
Pakket:	Kleur binnenste doos verpakken, 10 paar in een doos
Grootte van het karton	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
Load hoeveelheid Container:	3300pairs / 1x20 'container 8200pairs / 1x40 'HQ container

FAQ:

1.Question: Whoed is uw MOQ?

---- Onze MOQ is 1000 paren per stijl met verschillende formaten.

2.Question: Mag ik een paar voorbeelden voordat plaats bestelling?

---- Ja, we kunnen u een paar monster voor gratis verzenden als uw kwaliteit te controleren, maar de klant moet koerier kosten te betalen door zelf, zoals DHL, TNT, Fedex, EMS, etc.

3.Question: Heeft u CE-certificaat, we hebben het nodig om op maat te wissen?

---- Ja, onze producten kunnen voldoen aan de CE norm, en we hebben samenwerkingsrelatie met verschillende internationale laboratoria, met inbegrip van interteck uit het Verenigd Koninkrijk, CTC uit Frankrijk SABS uit Zuid-Afrika etc












4.Question: Wat is uw betaling, hoe kunnen we dan betaalt u?

---- Ons bedrijf kan zowel T / T en L / C betaling te accepteren. Als u nog andere betaling eisen, laat dan bericht of rechtstreeks contact opnemen met onze online verkoper.

5. Vraag: Wat is de kwaliteitsgarantie tijd?

---- Veiligheid Deze sytle schoenen worden aangeboden 3 maanden kwaliteitsgarantie na het verschepen. Als de schoenen zijn gebroken binnen 3 maanden, neem dan contact met ons op, wij zullen u nieuwe schoenen te compenseren zonder enige betaling.

Export geschiedenis van veiligheidsschoenen:

<p>UAE Style: HS8088/ HS8089 Destination port: Jebel Ali Quantity: 9000 Pairs</p>   <p>On December 2015 Dubai customer ordered one 40' HQ container safety shoes, they are one of our biggest customer and place one 40'HQ order every month.</p> 	<p>SAUDI ARABIA Style: SF131B Destination port: Dammam Quantity: 8500 Pairs</p>   <p>On November 2015 Saudi Arabia Customer ordered 8500 Pairs Safety Shoes with style SF131B. They are satisfied with our quality.</p> 
<p>MEXICO Style: 8070 Destination port: Long Beach Quantity: 3300 Pairs</p>    <p>On January and Sep. 2015 Mexico customer ordered two 20'FT container safety shoes with style 8070 safety shoes. They felt very satisfied.</p> 	<p>KENYA Style: HS8088 Destination port: Mombasa Quantity: 8100 Pairs</p>    <p>On Aug. 2015 Kenya customer ordered one 40' HQ safety shoes with style HS8088. They felt very satisfied with our quality delivery.</p> 
<p>IRAQ Quantity: 7400 Pairs Destination port: Basra</p>   <p>On May and Dec. 2015 Iraq customer ordered total three 40' HQ container miller steel and vaultex brand safety shoes. They felt very satisfied.</p> 	<p>NIGERIA Style: HA2003T Destination port: Apapa Quantity: 1000 Pairs</p>   <p>On Jan. 2015 Nigeria customer ordered 1000 pairs safety boots with style HA2003T.</p> 

Veiligheidsschoenen enige model show:



veiligheidsschoenen CE-certificaat:



EC Type Examination Certificate



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.
Centre Court
Meridian Business Park
Leicester, LE19 1WD
United Kingdom
Phone: +44 (0)116 263 0330
Fax: +44 (0)116 263 0311



www.intertek.com

Issued to	: RUIAN HONGSUN SHOES CO., LTD. QIANBU INDUSTRIAL ZONE, XINCHENG TOWN, RUIAN CITY, ZHEJIANG PROVINCE, CHINA
Authorised Representative	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China
Date of Issue	: 13 January 2016
Expiry Date	: 11 February 2020
Certificate No.	: LEC FI00362467 (Extension of certificate LEC FI00347154)
Product Reference(s)	: Safety Shoes H8K01, H8K02 H8K03, H8K04 H8K05, H8K06 H8K07, H8K08 H8K09, H8K10
Description	: Construction : Injection Toecap : Steel toecap Midsole : Steel plate Last : 8000 Sole : 8000 PU/PU Mould : 8000 Test Report(s) : See technical file Size Range : 38-46 Category : SBP SRA



Assessor

13/01/2016

Date



Certification Manager

13/01/2016

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.