

## Product Description

Productnaam:	China lederen industriële veiligheidsschoenen stalen neus
Item nr:	RB1094
Boven en zool:	Bovenwerk: rundleder in reliëf Tong: rubber
Teen:	1. Stalen neus is slagvast 200Joules. 2. niet-stalen neus is ook aanwezig.
Tussenzool:	1. Stalen plaat om lekbestendig te zijn 1100 Newton. 2. niet-stalen plaat is ook aanwezig.
Kraag:	PU-kunstleer met spons
Tong:	PU-kunstleer
Voering:	Ademende zwarte lucht & droge sandwich mesh stof (het zal je voeten droog en comfortabel houden)
sockliner:	Anti-statische gegoten EVA bekleed met luchtgaasweefsel (sterk verminderen van de pijn in uw voeten en perspectief van dagelijks werk)
Bouw:	gecementeerd
Hoogte:	Middensnede
Grootte:	3-13 (37-47)
Standaard:	CE EN ISO 20345 SB-P en anderen als uw vereisten
Garantie:	3 maanden
Pakket:	Kleur binnendoos verpakking, 10 paar in een doos.
Kartongrootte	58.5x40x32.5cm
Laadhoeveelheid van de container:	3200pairs / 1x20 'container 6400pairs / 1x40 'container

## Product Pictures





## *Company Information*





### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHIWEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDESHI AND SAFETY PRODUCTS (UK) LTD.  
1201 Village, North Street, Jersey, Channel Islands,  
Saint-Helier, Jersey, Channel Islands

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170004199)

**Product Reference(s):** Safety Group:  
4800V - 380V/0  
4800V - 0/230V  
4800V - 0/110V  
4800V - 0/150V  
0/230 - 0/110 - 0/150

**Description:**

Construction:	Insulation
Terminal:	Open terminal
Material:	Open wire
Core:	0/0/0
Lead:	0/0/0 (PVC)
Sheath:	ACSR
Test frequency:	See technical file
Test range:	0/0/0
Category:	0/0/0/0/0

*Handwritten signature: C.M.*

**Authorised Representative:** HANDESHI AND SAFETY PRODUCTS (UK) LTD.  
1201 Village, North Street, Jersey, Channel Islands,  
Saint-Helier, Jersey, Channel Islands

**Product Reference(s):** L20170002947 (extension of certificate L20170004199)

**Description:**

Construction:	Insulation
Terminal:	Open terminal
Material:	Open wire
Core:	0/0/0
Lead:	0/0/0 (PVC)
Sheath:	ACSR
Test frequency:	See technical file
Test range:	0/0/0
Category:	0/0/0/0/0

# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY