

## Product Description

Productnaam:	Oliebestendige antislip zwart lederen composiet teenisolatie 18KV elektrische werkveiligheidsschoenen
Item nr:	SDHL01
Boven- en zool:	Bovenwerk: reliëf split rundleer Zool: PU / PU zool met dubbele dichtheid
Teen:	1. Composiet teen, het kan 200 Joule schokbestendig zijn. 2. non is ook voorzien.
Tussenzool:	1. Niet-metalen anti-penetratie inlegzolen worden punctie bestendig 1100 Newton. 2. Niet is ook voorzien
Gewicht:	1,1 kg / pr
Halsband:	PU-kunstleer
Tong:	PU-kunstleer
Voering:	Air mesh-stof (uw voeten blijven comfortabel)
Inlegzool:	Gegoten EVA of HI-POLY of PU (Verminder uw pijn en vermoeidheid door dagelijks werk aanzienlijk)
Bouw:	PU-injectie
Hoogte:	Middelste snede
Grootte:	38-46
Standaard:	CE EN ISO 20345 SB-P SRC of anderen als uw vereisten
Garantie:	6 maanden
Functie:	Slip- / olie- / stoot- / prikbestendig, isolatie 18KV, schokabsorptie
Pakket:	1 paar per verdoos, 10 paar per doos. Grootte van het karton: 59 x 44 x 33 cm
Laad hoeveelheid container:	3300 paar / 1x20 'container 6600 paar / 1x40 'container

## Product Pictures







***Company Information***



**Intertek**

### EC Type Examination Certificate

<b>CE</b>	<b>Issued to:</b>	SHANGHAI HONGJIAN SHIYE CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 2017, JIANGSU PROVINCE, CHINA
	<b>Authorised Representative:</b>	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, Anson Centre, Shatin, New Territories, Hong Kong
	<b>Date of Issue:</b>	11 January 2018
	<b>Expiry Date:</b>	11 February 2020
	<b>Certificate No.:</b>	LEC170002947 (extension of certificate LEC170294794)
	<b>Product Reference(s):</b>	Safety Plug: 480V 10A/15A 480V 10A/20A 480V 10A/25A 480V 10A/30A 50V 20A 30A 50A
	<b>Description:</b>	Construction: Insulation Type: Plug socket Material: Steel plate Color: Silver Load: 2000 (Plug) Wire: AWG Mount: Plug socket for Type: Range: 20A/15A Category: 50V-50A

**Authorized Representative:**  
 Name: *C.M.*  
 Title: *Director*  
 Signature: *[Signature]*  
 Date: 11/01/2018

**Intertek Representative:**  
 Name: *[Signature]*  
 Title: *Intertek Representative*  
 Signature: *[Signature]*  
 Date: 11/01/2018

**Product Reference:**  
 Certificate No. LEC170002947 (extension of certificate LEC170294794)

**Intertek**  
 3501 Market Street, Suite 200, Newark, CA 94563, USA  
 Tel: +1 925 865 4600  
 Fax: +1 925 865 4601  
 Email: [info@intertek.com](mailto:info@intertek.com)  
 Website: [www.intertek.com](http://www.intertek.com)



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**




**CE Steel Toe cap**



**CE Steel Plate**



**Composite Toe cap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY