

## Product Description

Productnaam:	TIGER MASTER suède pu-zool metaalvrije veiligheidsschoenen van glasvezel
Item nr:	SMR09
Boven- en zool:	Bovenwerk: suède leer en stof met hoge dichtheid Zool: PU / PU zool met dubbele dichtheid
Teen:	1. Glasvezel teen, het kan slagvast 200 Joule zijn. 2. non is ook voorzien.
Tussenzool:	1. Niet-metalen anti-penetratie inlegzolen worden punctie bestendig 1100 Newton. 2. Niet is ook voorzien
Gewicht:	1,0 kg / pr
Halsband:	Hoog dichtheid kleding stof
Tong:	Stof met hoge dichtheid
Voering:	Air sandwich mesh-stof (uw voeten blijven comfortabel)
Inlegzool:	Gegoten EVA of HI-POLY of PU (Verminder uw pijn en vermoeidheid door dagelijks werk aanzienlijk)
Bouw:	PU-injectie
Hoogte:	Lage enkel
Grootte:	38-46
Standaard:	CE EN ISO 20345 S1-P SRC of anderen als uw vereisten
Garantie:	6 maanden
Functie:	Slip / olie / impact / perforatiebestendig, antistatisch, schokabsorptie
Pakket:	1 paar per verfdoo, 10 paar per doos. Grootte van het karton: 58,5 x 40 x 32,5 cm
Laad hoeveelheid container:	3300 paar / 1x20 'container 6600 paar / 1x40 'container

## Product Pictures





***Company Information***



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHU SHANGHAI PRODUCTIVE APPL. CO., LTD.  
1201 Village, Xuyuan Road, Jiangyin District, Suzhou,  
Henanjiang Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170294719)

**Product Reference(s):** Safety Group:  
48501-48502  
48503-48504  
48505-48506  
48507-48508  
850-200-300-350

**Description:**

Construction:	Indoor
Usage:	Open window
Material:	Steel plate
Color:	Black
Size:	600 (Depth)
Mount:	ACU
Open frequency:	One operation per
Open range:	30-45
Category:	850-350

**Authorized Representative:** *C.M.* 1687-0218

**Product Reference:** 1687-0218

**Issued by:** Intertek Testing Services (UK) Limited



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**




**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY