

Product Description

Productnaam:	lichtgewicht, metaalvrije composiet neus, lekvrije sport veiligheidsschoenen
Item nr:	SU035
Boven- en zool:	Echt rundsuèdeleer en Oxford-stof Dubbele dichtheid PU / PU
Teenkap:	Composiet neus is schokbestendig 200 joule. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 standaard) Non is ook aanwezig.
Middenzool:	Niet-metalen anti-penetratie middenzool die lekbestendig is 1100 Newton. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 standaard) Non is ook aanwezig.
Kant:	Duurzame ronde veterschoen
Halsband:	Oxford stof met hoge dichtheid
Tong:	Oxford stof met hoge dichtheid
Voering:	Ademende air mesh-stof
Inlegzool:	Gegoten EVA of HI-POLY of PU
Bouw:	PU-injectie
Hoogte:	Lage enkel
Grootte:	EUR 38-46
Garantie:	6 maanden
Functie:	Metaalvrij, slip / olie / impact / prikbestendig, antistatisch, schokabsorptie
Pakket:	1 paar per verfdoo, 10 paar per doos. Grootte van het karton is 58,5 x 40 x 32,5 cm
Laad hoeveelheid container:	3300 paar / 1x20 'container 6600 paar / 1x40 'container

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY