

Product Description

| | |
|-----------------------------|---|
| Productnaam: | Hittebestendige 300 °C antislip stalen neus veiligheidslaarzen schoenen voor het werk |
| Item nr: | TC001 |
| Bovenste en enige: | Bovenwerk: split gek paardenleer Zool: PU & Rubber (er is geen scherpe geur) |
| Teen: | 1. Stalen neus om slagvast 200 Joule te zijn. 2. non wordt ook verstrekt. |
| Tussenzool: | 1. Staal bord naar worden prik resistent 1100 newton. 2. Niet is ook voorzien |
| Gewicht: | 1,2 kg / pr |
| Kraag: | PU-kunstleer met spons |
| Tong: | PU kunstleer & split gek paardenleer |
| Voering: | Geel lucht- en droog sandwichweefsel (je voeten zijn droog en comfortabel) |
| sockliner: | Voorgevormd HI-POLY of PU (verminder uw pijn en vermoeidheid door dagelijks werk aanzienlijk) |
| Bouw: | Injectie |
| Hoogte: | Hoge enkel |
| Grootte: | 37-47 (3-13) |
| Standaard: | CE EN ISO 20345 SBP SRC of anderen als uw vereisten |
| Garantie: | 6 maanden |
| Pakket: | Kleur binnendoos verpakking, 10 paar in een doos. |
| Grootte van het karton | 59 x 44 x 33 cm |
| Laad hoeveelheid Container: | 3200 paar / 1x20 'container 6400pairs / 1x40 'container |

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE

| | | | | | | | | | | | | | | | | | | | |
|-----------------------------------|--|---------------|--------|-----------|------------|-----------|------------|--------|-----|--------|-------------|--------|----|----------------|-------------|-----------------|--------|-----------|----------|
| Issued to: | SHANGHAI HONGJIAN SHIBAO CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 2017, SHANGHAI PROVINCE, CHINA | | | | | | | | | | | | | | | | | | |
| Authorised Representative: | SHANGHAI SHI SAFETY PRODUCTS MFG. CO., LTD. 1201 Village, Zhongyuan Town, Jiangyin District, Suzhou, Jiangsu Province, China | | | | | | | | | | | | | | | | | | |
| Date of Issue: | 11 January 2018 | | | | | | | | | | | | | | | | | | |
| Expiry Date: | 11 January 2020 | | | | | | | | | | | | | | | | | | |
| Certificate No.: | LED170002947 (extension of certificate LED170294799) | | | | | | | | | | | | | | | | | | |
| Product Reference(s): | Safety Street H8201 (H8202) H8202 (H8204) H8203 (H8204) H8201 (H8203) H8202 (H8203) H8203 (H8204) H8204 (H8203) | | | | | | | | | | | | | | | | | | |
| Description: | <table border="0"> <tr> <td>Construction:</td> <td>Indoor</td> </tr> <tr> <td>Topology:</td> <td>Open ended</td> </tr> <tr> <td>Mounting:</td> <td>Open ended</td> </tr> <tr> <td>Light:</td> <td>LED</td> </tr> <tr> <td>Power:</td> <td>3000 (3000)</td> </tr> <tr> <td>Mount:</td> <td>AC</td> </tr> <tr> <td>Input Voltage:</td> <td>220-240V AC</td> </tr> <tr> <td>Output Voltage:</td> <td>30V AC</td> </tr> <tr> <td>Capacity:</td> <td>300W Max</td> </tr> </table> | Construction: | Indoor | Topology: | Open ended | Mounting: | Open ended | Light: | LED | Power: | 3000 (3000) | Mount: | AC | Input Voltage: | 220-240V AC | Output Voltage: | 30V AC | Capacity: | 300W Max |
| Construction: | Indoor | | | | | | | | | | | | | | | | | | |
| Topology: | Open ended | | | | | | | | | | | | | | | | | | |
| Mounting: | Open ended | | | | | | | | | | | | | | | | | | |
| Light: | LED | | | | | | | | | | | | | | | | | | |
| Power: | 3000 (3000) | | | | | | | | | | | | | | | | | | |
| Mount: | AC | | | | | | | | | | | | | | | | | | |
| Input Voltage: | 220-240V AC | | | | | | | | | | | | | | | | | | |
| Output Voltage: | 30V AC | | | | | | | | | | | | | | | | | | |
| Capacity: | 300W Max | | | | | | | | | | | | | | | | | | |

Authorized Representative: *C.M.* **1687122947**
Date

Product Reference: **1687122947**
Date

Intertek
15, West Street, London EC4A 3DF, United Kingdom



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY