

## Product Description

Productnaam:	CE Europese veiligheidsschoenen
Item nr:	TM008L
Bovenste en zool:	Bovenste: eerste laag echt leer Sole: PU / PU Dual Density
Teen:	1. Steel Teen Cap om slagbestendig 200 joules te zijn. 2. Niet-stalen neus is ook aanwezig.
Midsole:	1. Stalen plaat om prikbestendig 1100 Newton te zijn. 2. Niet-stalen plaat wordt ook verstrekt
Halsband:	PU kunstleer
Tong:	PU kunstleer
Voering:	Air Mesh-stof (het wordt uw voeten comfortabel gehouden)
Inlegzolen:	Antistatische gevormde EVA gecoat met luchtgasstof of anderen als uw vereisten (vermindert u uw voeten en vermoeidheid van dagelijks werk)
Bouw:	PU-injectie
Hoogte:	Lage enkel
Grootte:	38-47
Standaard:	CE EN ISO 20345: 2011 S3 SRC
Functie:	Olie / slip / impact / punctie / waterbestendig, antistatische, schokabsorptie
Garantie:	6 maanden
Pakket:	1 paar per kleurendoos, 10 paren in een doos.Karton Maat:58,5 x 40 x 32.5cm
Laadhoeveelheid van de container:	3300 pairs / 1x20 'container 6600 pairs / 1x40'-container

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**