

## Product Description

Productnaam:	Werkschoenen met lage enkelolie
Item nr:	TM2013
Bovenste en zool:	Echt koe lederen bovenkant Natuurlijke rubberen zool
Teen Cap:	Stalen neus om slagbestendig 200 joules te zijn. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standaard) Niet wordt verstrekt.
Middenzool:	Stalen plaat om prikbestendig 1100 Newton te zijn. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standaard) Niet wordt verstrekt.
Standaard:	CE EN ISO 20345 SBP SRC of anderen
Oogjes:	Ring
Halsband:	PU kunstleer
Tong:	PU kunstleer
Voering:	Soft Air Mesh-stof
Sockliner:	Gegoten EVA gecoat met mesh stof of hi-poly
Bouw:	Gecementeerd
Hoogte:	Lage enkel
Grootte:	38-46
Garantie:	5 maanden
Functie:	SLip / olie / impact / punctie bestendig, antistatisch en waterbestendig beschikbaar, schokabsorptie
Pakket:	1 paar per kleurendoos, 10 paar per doos. Kartongrootte is 58,5 x 40 x 32,5 cm
Laadhoeveelheid van de container:	3300 pairs / 1x20 'container 6600 pairs / 1x40'-container

## Product Pictures





# TIGER MASTER SAFETY SHOES

Your safety is our concern



**Steel toe cap**  
Impact resistant

**Comfortable Insoles**  
Breathable



**Natural Rubber Sole**  
Oil & acid & slip resistant

**Steel plate**  
Puncture Resistant

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY