

Product Description

| | |
|----------------------------|---|
| Productnaam: | Lage enkel zwart lederen tige rmaster merk china goedkope werkschoenen |
| Item nr: | TM3008 |
| Bovenwerk en zool: | Bovenwerk is in reliëf gemaakt rundsplitleer Zool is natuurlijk rubber, er is geen slechte geur |
| Neus: | Stalen neus om slagvast te zijn 200 joule. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345-norm) Niet is ook voorzien. |
| Tussenzool: | Stalen plaat om lekbestendig te zijn 1100 Newton. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345-norm) Niet is ook voorzien. |
| Gewicht: | 1,20 kg / persoon |
| Kleur: | Zwart |
| Halsband: | PU-kunstleer |
| Tong: | PU-kunstleer |
| Voering: | Zachte luchtgaasstof |
| Inlegzool: | Voorgevormde EVA gecoat met mesh-stof of andere |
| Bouw: | Gecementeerd |
| Hoogte: | Lage enkel |
| Grootte: | EUR 38-46 |
| Garantie: | 3 maanden |
| Functie: | Oil / zuur / impact / lek / slijtvast, schokabsorptie, waterbestendig en antistatisch beschikbaar. |
| Pakket: | 1 paar per verfdoo, 10 paar per doos. De maat van het karton is 58,5 x 40 x 32,5 cm |
| Laadhoeveelheid container: | 3300pairs / 1x20 'container 6600 paar / 1x40 'container |

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection