

Product Description

Productnaam:	High-Cut Black Suede Leather Sport Type Veiligheidsschoenen Mannen
Item nr:	Tm3018
Bovenste en zool:	Echt koe suède leer boven PU dubbele dichtheid zool
Teen Cap:	StaalTeen Cap om een slagvast te zijn 200 Joules,Niet wordt verstrekt. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standaard)
Middenzool:	Stalen plaat om prikbestendig 1100 Newton te zijn.Niet wordt verstrekt. (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345 Standaard)
Standaard:	CE EN ISO 20345 SB-P SRC of anderen
Stijl:	Opgerekte
Halsband:	Hoge dichtheid Oxford-stof
Tong:	Hoge dichtheid Oxford-stof
Voering:	Soft Air Mesh-stof
Sockliner:	Gegoten Eva gecoat met mesh-stof of anderen
Bouw:	PU-injectie
Hoogte:	Hoge enkel
Grootte:	38-46
Garantie:	6 maanden
Functie:	SLip / olie / impact / punctiebestendige, schokabsorptie, antistatisch en waterbestendig beschikbaar
Pakket:	1 paar per kleurendoos, 10 paar per doos. Kartongrootte is59 x 44 x 33 cm
Laadhoeveelheid van de container:	3200 pairs / 1x20 'container 6400pairs / 1x40 'container

Product Pictures





EU TYPE EXAMINATION CERTIFICATE

intertek


APPROVED BODY
The entity before (and/or) which the certificate is valid.
For information see the Intertek website.
For more information, please contact your local Intertek office.
The Intertek office is not responsible for the validity of the certificate.
The Intertek office is not responsible for the validity of the certificate.
The Intertek office is not responsible for the validity of the certificate.

Issued to: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.
8000 PUYI ROAD, NO.201 (DA NINGTAO ROAD), HARBIN, CHINA

Issue Date: 10 September 2020

Expiry Date: 10 September 2024

Certificate No.: 1111200041 (1) (Extension by Certificate LECT94212020)

Product Referenced: 874729 (PVC SAE) 81421-20-2020 (2)

Manufacturer: Harbin Ana Safety Products Mfg. Co., Ltd.
1111000041 (1) (Extension by Certificate LECT94212020)

Product: Type of Work : Injection
Termo : Composite ToeCap
M GLEED : 1001 (12000 210 04482301/1000 3242)
Size : 230E
Color : 1188 P (010)
Model : L776
Use : High Resistance PVC
Toe Height : 25 (30)
Category : SAF 04C


Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601

Notary: [Signature] Date: 11/09/2020

For and on behalf of Intertek Testing Services (UK) Limited Date: 11/09/2020

Certificate of Quality Management System

intertek


Certified that
Harbin Ana Safety Products Mfg. Co., Ltd.
Registration Address: No.26, 25, 24th & 23rd Building 118, East Side Street, Qinghai District, Harbin City, Heilongjiang Province
Production Address: Liaohe Village, Xitong Town, Achang District, Harbin City, Heilongjiang Province
Office Address: 302 Jiahua Building, No.201 Changjiang Road, Nan Jiang District, Harbin City
CN GB T 19001-2016/ISO 9001:2015
CN GB T 20000-2016/ISO 9001:2015
SCOPE OF CERTIFICATION
Manufacture and Sales of Polyvinyl Chloride (PVC) Protective Rain Boots (Except for Production License Products)

Validity of Certificate: **From 01 May 2020 to 01 May 2024**
Validity of Extension: **May 7, 2020 to May 5, 2021**
The effectiveness of the Certificate shall be subject to periodic surveillance visits of EWC for maintenance.
Conditions of the Certificate can be found on the website of EWC for maintenance and distribution administration of People's Republic of China. No. 2016-2019/0400
Agency of the Certificate in Harbin, PRC
Serial No. V3467000
EWC
[Signatures]



For and on behalf of Intertek Testing Services (UK) Limited

EU TYPE EXAMINATION CERTIFICATE

intertek


APPROVED BODY
The entity before (and/or) which the certificate is valid.
For information see the Intertek website.
For more information, please contact your local Intertek office.
The Intertek office is not responsible for the validity of the certificate.
The Intertek office is not responsible for the validity of the certificate.
The Intertek office is not responsible for the validity of the certificate.

Issued to: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.
8000 PUYI ROAD, NO.201 (DA NINGTAO ROAD), HARBIN, CHINA

Issue Date: 10 September 2020

Expiry Date: 10 September 2024

Certificate No.: 1111200041 (1) (Extension by Certificate LECT94212020)

Product Referenced: 874729 (PVC SAE) 81421-20-2020 (2)

Manufacturer: Harbin Ana Safety Products Mfg. Co., Ltd.
1111000041 (1) (Extension by Certificate LECT94212020)

Product: Type of Work : Injection
Termo : Composite ToeCap
M GLEED : 1001 (12000 210 04482301/1000 3242)
Size : 230E
Color : 1188 P (010)
Model : L776
Use : High Resistance PVC
Toe Height : 25 (30)
Category : SAF 04C


Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601
Reference to the Regulation of the European Commission (EU) 2016/1601

Notary: [Signature] Date: 11/09/2020

For and on behalf of Intertek Testing Services (UK) Limited Date: 11/09/2020

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection