

Product Description

Productnaam:	Zwart lederen staaltenstaalmiddenPlaat anti-slipHerenschoenveiligheid
Item nr:	Tm3026
Bovenste en zool:	Bovenkant: reliëf gespleten koe leer Sole: PU / PU Dual Density Sole
Teen:	1. Steel Teen Cap om slagbestendig 200 joules te zijn. Om je voeten te beschermen zonder gevaar. 2. Niet-stalen neus is ook aanwezig.
Midsole:	1. Stalen plaat om prikbestendig 1100 Newton te zijn.Om je voeten te beschermen zonder punctie door spijker of scherpe voorwerpen 2. Niet-stalen plaat wordt ook verstrekt
Halsband:	PU kunstleer met spons
Tong:	Reliëf koe leer
Voering:	Soft Air Mesh-stof (het wordt uw voeten comfortabel gehouden)
Sockliner:	Gegoten Eva gecoat met air mesh stof of anderen (Verminder je voeten en vermoeidheid van dagelijks werk)
Bouw:	PU-injectie
Hoogte:	Lage enkel
Maat:	37-47
Standaard:	CE EN ISO 20345: 2011 SB-P SRC of anderen.
Garantie:	6 maanden De zool wordt niet uit het midden gebroken of binnen zes maanden nadat de goederen naar de bestemmingspoort gaan.Geen garantie voor de bovenste.
Pakket:	1 paar per cOlor binnendoos verpakking, 10 paar in een doos.
Kartongrootte	58,5 x 40 x 32,5 cm
Laadhoeveelheid van de container:	3300 pairs / 1x20 'container 6600 pairs / 1x40'-container

Product Pictures





EU TYPE EXAMINATION CERTIFICATE intertek

CE **APPROVED BODY NAME** APPROVED BODY NAME

Issued to HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.
Issue Date 10 September 2024
Expiry Date 10 September 2029

Product Reference(s) 87425 (PVC 3324)
 87425 (PVC 3324)

Manufacturer Harbin Ana Safety Products Mfg. Co., Ltd.
 111100481 (1) (Extension by Certificate L279621100)

Product Description

Material	PVC
Color	Black
Size	1100 P, 1100 S
Weight	1.75kg
Use	Work
Application	Work
Category	Work

Reference to CE Marking

Signature *[Signature]* **Date** 10/09/2024

Intertek Manager *[Signature]* **Date** 10/09/2024

For and on behalf of Intertek Testing Services (UK) Limited

ANAB IAF

Certificate of Quality Management System

Certified that

Harbin Ana Safety Products Mfg. Co., Ltd.

Registration Address: No. 16, 18, 20 & Building 118, East on Street, Highling District, Harbin City, Heilongjiang Province
 Production Address: Lishi Village, Nongda Town, Achang District, Harbin City, Heilongjiang Province
 Office Address: 302 Jiahua Building, No. 209 Changjiang Road, Nangang District, Harbin City
 Credit Code: 91230107Y000000000

Has established a Quality Management System which is in accordance with the Requirements of the Standard:

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION:

Manufacturer and Sales of Polyvinyl Chloride (PVC) Protective Rain Boots (Except for Production License Products)

*Expiry of Certificate for Last Issue: Mar. 8, 2029
 Validity of Certificate: May 7, 2023 to Mar. 8, 2029
 Expiry Date of the Certificate: May 7, 2023*

The effectiveness of this Certificate shall be subject to periodic surveillance visits of CERT for maintenance. Conditions and requirements of surveillance are http://www.intertek.com and Global website of Certification and Distribution Administration of People's Republic of China (http://www.cma.gov.cn). Expiry of this Certificate in Mar. 2023.

ANAB IAF EWC

For and on behalf of Intertek Testing Services (UK) Limited

EU TYPE EXAMINATION CERTIFICATE intertek

CE **APPROVED BODY NAME** APPROVED BODY NAME

Issued to HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD.
Issue Date 10 September 2024
Expiry Date 10 September 2029

Product Reference(s) 87425 (PVC 3324)
 87425 (PVC 3324)

Manufacturer Harbin Ana Safety Products Mfg. Co., Ltd.
 111100481 (1) (Extension by Certificate L279621100)

Product Description

Material	PVC
Color	Black
Size	1100 P, 1100 S
Weight	1.75kg
Use	Work
Application	Work
Category	Work

Reference to CE Marking

Signature *[Signature]* **Date** 10/09/2024

Intertek Manager *[Signature]* **Date** 10/09/2024

For and on behalf of Intertek Testing Services (UK) Limited

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY