

Product Description

Productnaam:	Zwart lederen PU-zool stalen neus anti-lek werkschoenen CE en345
Item nr:	TM5005
Bovenwerk en zool:	Bovenwerk: rondsplitleer met reliëf Zool: PU / PU dubbele densiteit
Teen:	1. Stalen neus om slagvast te zijn 200 joule. 2. Niet-stalen neus is ook aanwezig.
Tussenzool:	1. Stalen plaat om lekbestendig te zijn 1100 Newton. 2. Er wordt ook niet-stalen plaat geleverd
Halsband:	PU-kunstleer
Tong:	PU-kunstleer
Voering:	Air sandwich mesh-stof (het houdt je voeten comfortabel)
Inlegzool:	Voorgevormd EVA gecoat met luchtgasstof of andere
Bouw:	PU-injectie
Certificatie:	CE
Grootte:	38-46
Standaard:	CE EN ISO 20345: 2011 SB-P SRC of anderen.
Garantie:	6 maanden
Pakket:	1 paar per ca.olor binnendoosverpakking, 10 paar per doos.
Grootte van het karton	58,5 x 40 x 32,5 cm
Laadhoeveelheid container:	3300pairs / 1x20 'container 6600 paar / 1x40 'container

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY