

Product Description

Productnaam:	Zwarte lederen stalen neus antistatisch geen veterlaslaarzen veiligheid
Item nr:	W1015
Bovenste en enige:	Bovenwerk van rundleder met zwarte reliëf, PU-zool met dubbele dichtheid
Teen:	1. Stalen neus om slagvast 200 joules te zijn. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDAARD, diverse fitting kiezen uit)
	2. Er is ook een stalen neus voorzien.
Stalen plaat : (stalen tussenzool)	1. Stalen plaat om lekbestendig te zijn 1100 newton. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 STANDAARD, een verscheidenheid aan fitting om uit te kiezen)
	2. niet-stalen plaat is ook voorzien
Kraag:	PU kunstleer
Stijl:	geen veterlaarzen
Voering:	Lucht- en droogweefsel of andere
sockliner:	Gegoten EVA bekleed met gaasstof of andere
Bouw:	PU injectie
Hoogte:	30 cm (gemiddeld)
Grootte:	38-46 (4-12)
Garantie:	6 maanden
Pakket:	Kleur binnendoos verpakking, 10 paar in een doos
Grootte van het karton:	68 x 65 x 34,5 cm
Laad hoeveelheid Container:	1800 paren / 1x20 'container 3600 paar / 1x40 'container

Product Pictures







**Strong
Comfortable
Flexible**

**Embossed cow leather upper
Water proof, not easy to be broken**



**Embossed leather handle
Easy to wear welding boots**



**Padded velvet movable
Insole for soft & Shock
absorption**

**PU dual density sole,
Anti slip & oil resistant,
Abrasion resistant,
Heel energy absorption**



**CE standard steel toe cap
Impact resistant 200 joules**



**CE standard steel Plate
Puncture resistant 1100 newtons**