

Product Name:	CE standard oil acid resistant construction site safety rain boot pvc for work
Item No:	108-9
rain boot color	Black upper with red sole
Size:	38-46 (4-12)
Height:	38cm/ 33cm/ 28cm (AVERAGE)
Average weight	2.0kgs/pr (without steel toe and steel plate)
upper material	100% pure PVC material (easy to wash)
lined rain boots	Polyester (easily dried Fabric)
Construction	PVC injection
Standard	Meet CE standard, CE EN ISO 20345 S5
Characteristics	<ol style="list-style-type: none"> <li>1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots.</li> <li>2. outsole is abrasion resistant and Contract.</li> <li>3. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel</li> <li>4. resistant at low temperatures.</li> <li>5. Steel toe resistant (200J), Steel plate resistant (1100 N).</li> </ol>
Guarantee:	5 months, robust and solid quality.
Package:	1 pair per poly bag, 10 pairs per carton
Carton Size	50x30x48cm
G.W./N.W.:	21KGS/20KGS
amount of load containers:	3800 pairs / container 1x20 ' 7600 pairs / container 1x40 ' 9000 pairs / HQ container 1x40 '

Size	Length of sole	Width of sole	Perimeter of body	Height of boot
38	252.5mm	93.5mm	416mm	347mm
39	252.5mm	93.5mm	416mm	347mm
40	259.5mm	95.3mm	423mm	347mm
41	266.5mm	97.1mm	430mm	352mm
42	273.5mm	98.9mm	437mm	352mm
43	280.5mm	100.7mm	444mm	357mm
44	287.5mm	102.5mm	451mm	357mm
45	294.5mm	104.3mm	458mm	362mm
46	301.5mm	106.mm	465mm	362mm

**Black Safety rain boots:**



