

Product Description

Product Name:	PU injection suede leather steel toe cap sport type workshop safety shoe
Item No:	5050
Upper and Sole:	Upper: Suede leather Sole: PU dual density sole
Toe:	1. Steel toe cap to be impact resistant 200J 2. non-steel toe is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 Newton. 2. non- steel plate is also provided
Collar:	High density fabric with sponge
Tongue:	High density fabric
Lining:	Breathable orange air & dry mesh fabric
Sockliner:	Anti static Moulded EVA coated with air mesh fabric
Construction:	PU injection
Height:	Low cut
Size:	36-47 (2-13)
Standard:	S1P
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	58.5x40x32.5cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures

**NEW
Style!**





Company Information



Intertek

EC Type Examination Certificate

CE

Issued to: FUJIAN HONGJIAN SHISE CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JINCHANG TOWN, NINGBO
32171, ZHEJIANG PROVINCE, CHINA

Authorised Representative: FUJIAN HONGJIAN SHISE CO., LTD.
1-101 Village, Shuang Shan, Jiangyin District, Suzhou,
Henan Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Plug
4850V-3850V
4850V-3850V
4850V-3850V
4850V-3850V
850 385V 3P+N-SP

Description:

Construction	Insulation
Terminal	Open socket
Material	Open plug
Color	RED
Size	850 (Plug)
Mount	ACB
Test Standard	EN 60898-1/2
Test Range	38-45
Category	SPR-01A

Authorized Representative: *C.M.* 1567-02947
Date: 11/01/2018

Intertek 1567-02947
Date: 11/01/2018

Product Reference(s):

Description:

Authorized Representative:

Intertek



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY