

Product Description

Product Name:	Tiger master brand oil resistant steel toe cap safety work shoes men
Item No:	5071
Upper and Sole:	Upper: Split embossed leather Sole: PU dual density sole
Toe:	1. Steel toe cap to be impact resistant 200J 2. non-steel toe is also provided.
Midsole :	1. Steel plate to be puncture resistant 1100 Newton. 2. non- steel plate is also provided
Collar:	PU artificial leather with sponge
Tongue:	PU artificial leather
Lining:	Breathable orange air& dry mesh fabric
Sockliner:	Anti static Moulded EVA coated with air mesh fabric
Construction:	PU injection
Height:	Middle Cut
Size:	3—13 (37-47)
Standard:	S1P or others as your requirements
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	58.5x40x32.5cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDESHI SHANGHAI PRODUCTIVE APPL. CO., LTD.
1201 Village, Suzhou Street, Jiangsu District, Shanghai
P.R. China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)

Description:

Construction:	Indoor
Usage:	Over voltage
Material:	Over voltage
Level:	200V
Mode:	AC/DC (Pulsed)
Mount:	AC/DC
Test frequency:	Over voltage test
Test range:	20-40
Category:	200V-400V

Authorized Representative: *C.M.* 1687-02947

Product Reference: 1687-02947

Authorized Representative: 1687-02947

Authorized Representative: 1687-02947



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY