

Product Description

Product Name:	Anti slip oil resistant leather industrial safety boots
Item No:	5075
Upper and Sole:	Embossed split colw leather upper, PU/ PU dual density Sole
Toe cap:	Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Steel plate to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Certification:	CE
Collar:	PU artificial leather
Tongue:	PU artificial leather
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA coated with mesh fabric
Construction:	PU injection
Height:	High ankle
Size:	EUR 38-46
Guarantee:	6 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static, waterproof, shock absorption,
Package:	1 pair per color box, 10 pairs per carton. Carton size is 59 x 44 x 33 cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY