

Product Description

Product Name:	Anti slip breathable workshop safety shoes sport
Item No:	605
Upper and Sole:	Air breathable 3D flying knitted fabric upper, Soft EVA sole
Toe cap:	Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Non-metallic anti-penetration mid sole to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Standard:	CE EN ISO 20345 SBP SRC or others
Lace:	Durable round shoes lace
Collar & Tongue:	3D flying knitted fabric
Weight:	730g per pair
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA or HI-POLY or PU
Construction:	Cemented
Height:	Low ankle
Size:	EUR 38-46
Guarantee:	6 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static, lightweight, breathable, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures



PUNCTURE RESISTANT



IMPACT RESISTANT



SUPER LIGHT



Huade®

重量

0.0383

克

去皮

单位

交流

置零

去皮

上海华德衡器有限公司





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY