Product Description

Product Name:	Low ankle light weight fashion sport safety shoes
Item No:	608
Upper and Sole:	Air breathable 3D flying knitted fabric upper, Soft EVA & rubber sole
Toe cap:	Steel toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Non-metallic anti-penetration mid sole to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Standard:	CE EN ISO 20345 SBP SRC or others
Lace:	Durable flat shoes lace
Collar & Tongue:	3D flying knitted fabric
Weight:	850g per pair
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA or HI-POLY or PU
Construction:	Cemented
Height:	Low ankle
Size:	36-46
Guarantee:	3 months
Function:	Slip/ oil/ impact/ puncture resistant, lightweight, breathable, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40’ container

Product Pictures

SHOW WHITE BACKGROUND

ENICENICE
ENICENICE

ENICENICE
ENICENICE

SHOW DETAIL DISPLAY

- ***Air breathable 3D fly knitting fabric***

- ***EVA & RUBBER SOLE***

- ***Breathable air mesh lining***

Model Show

MODEL SHOW

/ SIMPLE TRAVEL AND COMFORTABLE WEAR /

NICENICEN
NICENICEN

_ / SIMPLE TRAVEL AND COMFORTABLE WEAR /

NICENICEN
ICENICENIC

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY