

## Product Description

Product Name:	Low ankle black soft steel toe puncture proof sport men safety shoes
Item No:	701
Upper and Sole:	Upper is air breathable 3D flying knitted fabric Sole is soft EVA
Toe cap:	Steel toe cap or composite toe cap to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Mid sole:	Non-metallic anti-penetration insoles to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Weight:	0.70 kgs/ pr
Style:	Laced up
Collar:	3D flying knitted fabric
Tongue:	3D flying knitted fabric
Lining:	Breathable air mesh fabric
Sockliner:	Moulded EVA or HI-POLY or PU
Construction:	Cemented
Height:	Low ankle
Size:	EUR 36-48
Guarantee:	3 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static, shock absorption, light weight, breathable.
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

## Product Pictures







Huade®

重量

8.8345

克

去皮 单位 去皮

去皮

去皮

上海华德衡器有限公司







# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**



# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY