

Product Description

Product Name:	Grey suede leather anti slip steel toe puncture proof safety shoes work
Item No:	H17
Upper and Sole:	Upper: Genuine cow suede leather Sole: Rubber
Toe cap:	1. Steel toe cap or composite toe cap to be impact resistant 200 Joules. To protect your feet toe without hazard. 2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects 2. non is also provided
Collar:	Suede leather
Tongue:	Suede leather
Lining:	Soft air sandwich mesh fabric for a comfort fit
Sockliner:	Anti static Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work)
Construction:	Cemented
Height:	Low cut
Size:	36-47
Standard:	CE EN ISO 20345:2011 SB-P SRC or others.
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Oil/ acid/ petrol/ chemical/ impact/ puncture resistant, anti slip, breathable, shock absorption, anti static.
Package:	1 pair per color box, 10 pairs per carton. carton size: 58.5 X 40 X 32.5 CM
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures



**200 JOULE
TOECAP**



**SLIP-
RESISTANT**



**SHOCK
ABSORPTION**



ANTI-STATIC



**PETROL AND
CHEMICAL
RESISTANT**



**ANTI-NAIL
MIDSOLE**



**OIL
RESISTANT**



Product Show



SAFETY

The protection effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

European standard steel toe cap



SAFETY

The protection effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Bulletproof fabric to prevent piercing Kevlar midsole



BREATHABLE VAMP

The breathable experience you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Breathable leather upper

The vamp has air holes to increase the inside and outside of the shoe

MD-SOLE

The anti-slip effect you want

FRESH AND BREATHABLE PROTECTIVE SHOES

Three-dimensional shock absorption design

Lightweight TPR sole
Light elastic alkali shock
antiskid



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

