Product Description

Product Name:	Non-slip rubber outsole fashionable sport type safety shoes steel toe cap
Item No:	763
Upper and Sole:	Upper: Air breathable 3D fly knit fabric Sole: Natural rubber
Toe cap:	1. Steel toe cap to be impact resistant 200 Joules. To protect your feet toe without hazard.
	2. non is also provided.
Midsole :	1. Non-metallic anti-penetration insoles to be puncture resistant 1100 Newton. To protect your feet without puncture by nail or sharp objects
	2. non is also provided
Collar:	3D flying knitted fabric
Tongue:	High density mesh fabric
Lining:	Soft air mesh fabric for a comfort fit
Sockliner:	Anti static Moulded EVA coated with air mesh fabric or others (Greatly reduce your feet pain & fatigue from daily work)
Construction:	Cemented
Height:	Low cut
Size:	36-47
Standard:	CE EN ISO 20345:2011 SB-P SRC or others.
Guarantee:	6 months The sole is not broken from the middle or pulled off within six month after the goods getting to destination port. No guarantee for the upper.
Function:	Oil/ acid/ petrol/ chemical/ impact/ puncture resistant, anti slip, breathable, shock absorption, anti static.
Package:	1 pair per color box, 10 pairs per carton. carton size: 58.5 X 40 X 32.5 CM
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures

Engineer

Warehouse

Factory

Car Fix

Construction Site

01

Steel Toe

Steel Toe

To protect your feet toe without hazard

European Standard Steel Toe Cap

①Steel toe shoes with ASTM F2413 standard
②Impact resistance of 200J
③AN1 Widened Steel Toe
④Pressure resistance > 15KN

02

Puncture Proof

Puncture Proof Midsole

Compared with the traditional steel plate midsole, This midsole is lighter and better in anti-puncture performance

Non-metallic anti-penetration insoles
To protect your feet without puncture
by nail or sharp objects

03

Anti-Slip

Rubber Outsole

We adopted RB outsoles with special figure that enhanced the traction of the shoes, which also meets ASTM nonslip testing standards.

Provides stronger wear-resisting, suitable for complex pavements

04

Breathable&Soft

Upper & Insole

Breathable & Comfortable Uppers
Compared with the traditional steel toed leather shoes , the fly weavingshoes are more breath and comfortable , and it will better fit your feet.

Breathable Mesh Upper



Anti-Odour Lining





EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to: HEILONGJIANG SAFER CO., LTD.
BAIKAI PLAZA PLAZA, NO.201 DAXINGANLING ROAD, HARBIN, CHINA

Issue Date: 15 September 2020

Expiry Date: 15 September 2021

Certificate No.: 01120030111 (Extension to Certificate LE0700371001)

Product Reference(s): BK4709 (HI-XIAN)
BK4201 (HI-LOW-1)

Description:
Construction : INJECTION
Toecap : Composite Toecap
BK4201 : Non metallic anti puncture insole board
Lace : 1706
Sole : 1708 PU/PA
Mould : 1708
Test Report(s) : See method 1-6
Size Range : 39-46
Category : S3 SRC

Issued: CBall Date: 15/09/2020

Certification Manager: Date: 15/09/2020

For and on behalf of HK Testing Services (UK) Limited

IWC

Certificate of Quality Management System

Certificate No.: 105821Q

Certified that

HEILONGJIANG SAFER CO., LTD.

Has established a Quality Management System which is in Accordance with the Requirements of the Standard (Not applicable to Clause 8.3)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Batons, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 To: Nov. 16, 2024
Issue Date: Nov. 17, 2021

IWC:

ANAB IAF

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to: HARBIN XIAN SAFETY PRODUCTS MFG. CO., LTD.
LIXIN VILLAGE, XINHUA TOWN, ACHENG DISTRICT, HARBIN, HEILONGJIANG PROVINCE, CHINA

Issue Date: 06 September 2019

Expiry Date: 06 September 2024

Certificate No.: LE0700371001

Product Reference(s): BK4709 (HI-XIAN)
SAFETY BOOTS

Description:
Construction : INJECTION
Toecap : ASTM STEEL TOECAP
Midsole : 1709 (ISO STEEL PLATE)
Last : HA-4009
Sole : PVC & NITRILE
Mould : HA-4
Test Report(s) : 1-6(PERFORMANCE), 10(PERMEATION)
Size Range : 35-46 (EU)
Category : S3 SRA

Issued: Date:

Certification Manager: Date:

For and on behalf of TÜV Rheinland Services (UK) Limited

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL