Product Name:	Cheap lightweight non safety green pvc rain boots for men		
Item No:	804		
Color:	Green or black		
Size:	40-46		
Height:	38 cm (Average)		
Average weight	1.6-1.7 kgs per pair		
Material	100% pure PVC material (easy to wash)		
Lining:	Polyester (easily dried fabric)		
Construction	PVC injection		
Standard	Meet CE standard		
Characteristics	 Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots. outsole is abrasion resistant and Contract. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel. Steel toe cap & steel mid plate are not available. 		
Usage:	Rainy day, basic workplace, agriculture, farming, garden etc.		
Guarantee:	5 months		
Package:	1 pair per poly bag, 10 pairs per carton. or as your requirements.		
Delivery time:	About 40 days after receiving the deposit.		

Product Pictures









et la deservative d'une et la deservative que a constructiva de la deservativa deservativa de la deservativa deservativa de la deservativa deservativa de la deservativa deservativa de la de



	XAMINAT ERTIFICA	ile .	
CE			NONETH MPS. CO., USA TONN, ADMING DETINCT, I PERMITIKI GRAM.
APPENDENCE INC	Trace Date	Witness Stat	
Reading Summer Station	Sapity Sets	0 Decimentary 2024	
hande mode des charts of a Py New Institution of a condense	Genfrien In.	· LECTROID TRANS	
all dress is initial in the benchmark frequency for based on fault per alles frequencies of the PET Register of the	Parter Merenal a	Man (Franks) Swith BOD'S	
Allocitie respective mains: The sectors from France Research and sectors from the sector and sectors from the sectors from the the sectors from the sectors from the sectors from the sectors from the sectors f		Contraction Review Mathing Last Sine Manufi Yee Report() Rev Report() Congoty	RECORP. RECORP. GREEN.INCOM GREEN.INCOM GREEN.INCOM GREEN.INCOM RECORP. RECORP. RECORP. GREEN.INCOM GREEN.INCOM
52		- AN	50000 ml



Puncture Testing Machine Impact Resistant Testing Machine Tensile testing machine

Production Process



