

## Product Description

Product Name:	Knee high anti slip steel toe mid plate shiny pvc safety boots
Item No:	805
Color:	Black or yellow
Size:	37-46
Height:	38 cm (Average)
Average weight	2.0-2.2 kgs per pair
Material	100% pure PVC material (easy to wash)
Lining:	Polyester (easily dried fabric)
Construction	PVC injection
Standard	Meet CE standard
Characteristics	<ol style="list-style-type: none"><li>1. Water / Acid / Alkali / oil / grease resistant, non-slip, anti-static pvc boots.</li><li>2. outsole is abrasion resistant and Contract.</li><li>3. Ankle protection, energy absorption on the heel seat region, strengthening toe and heel.</li><li>4. Steel toe cap to be impact resistant 200 joules.</li><li>5. Steel plate to be puncture resistant 1100 newtons.</li></ol>
Usage:	Construction site, industrial, rainy day, basic workplace, agriculture, farming, garden etc.
Guarantee:	5 months
Package:	1 pair per poly bag, 10 pairs per carton. or as your requirements.
Delivery time:	About 40 days after receiving the deposit.

## Product Pictures















**CE** intertek

**APPROVED BODY**  
 The body is authorised to issue certificates of approval for products which conform to the requirements of the relevant EU Directive and to issue certificates of approval for products which conform to the requirements of the relevant EU Directive and to issue certificates of approval for products which conform to the requirements of the relevant EU Directive.

**Issued to:** HEILONGJIANG SAFER CO., LTD.  
 100000 HAILAER, HEILONGJIANG PROVINCE, CHINA

**Issue Date:** 15 September 2020

**Expiry Date:** 15 September 2025

**Certificate No.:** 1113 0004111 (Extension to Certificate 1079037300)

**Product Reference(s):** HJ1709 (P. 001)  
 HJ1709 (P. 002)

**Description:**  
 Type of Machine : Injection  
 Name : Composite Tarpaulin  
 Model : HJ1709 (P. 001)  
 Size : 1700\*1700  
 Color : Blue  
 Material : PVC  
 Weight : 1.5kg  
 Temperature : 20-30°C  
 Location : Hailaer

**Intertek Reference:** 1079037300

**Intertek Manager:** [Signature] Date: 15/09/2020

**Intertek Reference:** 1079037300

**Intertek Manager:** [Signature] Date: 15/09/2020

Intertek (UK) Limited, Trading Services, L30, London, UK

**EWC**

**Certificate of Quality Management System**

Certificate No.: 105521Q  
 Certified that  
**HEILONGJIANG SAFER CO., LTD.**

Has established a Quality Management System which is in accordance with the Requirements of the Standard as specified in Clause 8 to:  
**GB/T 19001-2016/ISO 9001:2015**

**SCOPE OF CERTIFICATION**  
 Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 to Nov. 16, 2024  
 Issue Date: Nov. 17, 2021

**ANAB IAF**

**CE** intertek

**APPROVED BODY**  
 The body is authorised to issue certificates of approval for products which conform to the requirements of the relevant EU Directive and to issue certificates of approval for products which conform to the requirements of the relevant EU Directive.

**Issued to:** HEILONGJIANG SAFER PRODUCTS MFG. CO., LTD.  
 100000 HAILAER, HEILONGJIANG PROVINCE, CHINA

**Issue Date:** 16 September 2020

**Expiry Date:** 16 September 2024

**Certificate No.:** 1079037300

**Product Reference(s):** HJ1709 (P. 001)  
 HJ1709 (P. 002)

**Description:**  
 Construction : PU/TPU  
 Material : PU/TPU  
 Size : 1700\*1700  
 Weight : 1.5kg  
 Temperature : 20-30°C  
 Location : Hailaer

**Intertek Reference:** 1079037300

**Intertek Manager:** [Signature] Date: 16/09/2020

**Intertek Reference:** 1079037300

**Intertek Manager:** [Signature] Date: 16/09/2020

Intertek (UK) Limited, Trading Services, L30, London, UK



## Automatic Injection Molding Machine



**Puncture Testing Machine**




**Impact Resistant Testing Machine**



**Tensile testing machine**



# Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY