

Product Description

Product Name:	CE approved hiking safety work shoes for men
Item No:	BTA040L
Upper and Sole:	Genuine nubuck leather, PU/ PU dual density
Toe cap:	Composite toe to be impact resistant 200 joules, non toe cap is also provided. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard)
Mid sole:	Non-metallic anti-penetration insoles to be puncture resistant 1100 newton. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non is also provided.
Certification:	CE
Lace:	Durable round shoes lace
Collar:	High density oxford fabric
Tongue:	High density oxford fabric & nubuck leather
Lining:	Breathable air mesh fabric
Sockliner:	Anti static moulded EVA or HI-POLY or PU
Construction:	PU injection
Height:	Low ankle
Size:	EUR 37-47
Guarantee:	6 months
Function:	Oil/ acid/ slip/ impact/ puncture resistant, anti static, metal free, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





TIGER MASTER[®] *Professional SAFETY SHOES*



YOUR SAFETY IS OUR CONCERN!

<https://safetyshoesfactory.com>



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY