

Product Name:	Action leather safety shoes
Item No:	HS2001
Upper and Sole:	Action leather upper, PU dual density sole.
Toe:	1. Steel toe cap to be impact resistant . (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of <b>fitting</b> to choose from)
	2. non-steel toe is also provided.
Steel plate : (steel midsole)	1. Steel plate to be puncture resistant. (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel plate is also provided
Collar:	PU padded with heavy duty sponge.
Tongue:	perfect soft PU
Lining:	MESH FABRIC
Sockliner:	Comfortable cushion
Construction:	PU injection
Height:	Middle Cut
Size:	4—12 (38-46)
Guarantee:	3 month, heavy duty and solid quality.
Package:	Color inner box packing, 10 pairs in a carton
Carton Size	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
Load quantity of Container:	3300-3500pairs /1x20' container 8200-9000pairs /1x40' HQ container

**Safety shoes detailed pictures:**







## Production Process



Raw Materials



Punching



Cutting



Sewing



Eyeleting



Riveting



Heat-setting



Molding



Making Up



Inspection




Packing



Finish Products

Safety shoes sole model show:



Sole style: 2017

Sole style: 2015

Sole style: 2000

Sole style: 3000

Sole style: 2016

Sole style: 4000

Sole style: 6000

Sole style: 8000

Sole style: 7000

Sole style: 1000

Sole style: 9000

Sole style: 5000

Sole style: 8080

Sole style: 1000P

Sole style: 1001