

Product Description

Product Name:	Oil slip resistant CE approved steel toe cap fashionable safety shoes sport
Item No:	RB1093
Upper and Sole:	Upper: Suede leather Sole: Rubber
Toe:	1. Steel toe cap to be impact resistant 200 Joules. 2. non-steel toe is also provided.
Midsole :	Non midsole
Weight:	0.8 kgs/pr
Collar:	High density fabric with sponge
Tongue:	Suede leather
Lining:	Breathable yellow air& dry mesh fabric (Your feet will be kept dry and comfortable)
Sockliner:	Anti static HI-POLY (Greatly reduce your pain & faigure from daily work)
Construction:	Cemented
Height:	Low ankle
Size:	3—13 (37-47)
Standard:	S1P SRC or others as your requirements
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	58.5x40x32.5cm
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APLC (S) LTD.
1201 Village, North Zone, Jiangyin District, Suzhou,
Henan Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Plug
480V 10A/15A
480V 10A/20A
480V 10A/25A
480V 10A/30A
50V 20A 30A 50A

Description:

Construction:	Insulation
Terminal:	Open contact
Material:	Open slot
Lead:	0.05
Wire:	3000 (PVC)
Mount:	ACB
Test frequency:	See national file
Test range:	20-40
Category:	500-1000

Authorised Representative: *C.M.* 1687-0219

Product Reference: *C.M.* 1687-0219

Issued by: Intertek (UK) Limited
111, Raffles Quay, #11-02, South Bridge Road, Singapore 048772



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY