

Product Description

Product Name:	light weight breathable fashion sport safety shoes steel toe cap
Item No:	DTA037
Upper and Sole:	Upper: Air breathable 3D flying knitted fabric Sole: PU dual density delta plus sole
Toe:	1. Steel toe cap, it can be impact resistant 200 Joules. 2. Non is also provided.
Midsole :	1. Steel plate, it can be puncture resistant 1100 newton. 2. Non is also provided
Weight:	1.0 kgs/pr
Collar:	Air breathable 3D flying knitted fabric
Tongue:	High density mesh fabric
Lining:	grey air & dry sandwich mesh fabric (Your feet will be kept dry and comfortable)
Sockliner:	Moulded EVA or HI-POLY or PU (Greatly reduce your pain & fatigue from daily work)
Construction:	PU Injection
Height:	Low ankle
Size:	37-47 (3-13)
Standard:	CE EN ISO 20345 SB-P SRC or others as your requirements
Guarantee:	6 months
Package:	1 pair per color inner box packing, 10 pairs per carton.
Carton Size	58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANJI
3211, ZHOUJIAN PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.
1201 Village, Xujiahui Town, Xujiahui Street, Minhang District, Shanghai, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170004199)

Product Reference(s): Safety Group:
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)

Description:

Construction:	Indoor
Usage:	Over voltage
Material:	Over voltage
Level:	200V
Mode:	AC/DC (Pulsed)
Mount:	AC/DC
Test frequency:	Over voltage test
Test range:	20-40
Category:	200V-400V

Authorized Representative: *C.M.* 1687-02018

Intertek Representative: *[Signature]* 1687-02018

Intertek Representative: *[Signature]* 1687-02018

Intertek is a member of the Intertek Group of Companies, which is a member of the Intertek Group of Companies. Intertek is a member of the Intertek Group of Companies, which is a member of the Intertek Group of Companies.



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather




CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY