

Product Description

| | |
|-----------------------------|---|
| Product Name: | Slip resistant anti static suede leather safety boots for men |
| Item No: | ENS032G |
| Upper and Sole: | Genuine cow suede leather & fabric PU/PU dual density |
| Toe cap: | Steel toe to be impact resistant 200 joules. or composite toe cap. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non steel toe is also provided. |
| Mid sole: | Steel plate to be puncture resistant 1100 newton or kevlar insoles. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non steel plate is also provided. |
| Standard: | CE EN ISO 20345 S1-P SRC or others |
| Lace: | Durable round shoes lace |
| Collar: | High density fabric |
| Tongue: | High density fabric & suede leather |
| Lining: | Breathable air mesh fabric |
| Sockliner: | Moulded EVA or HI-POLY or PU |
| Construction: | PU injection |
| Height: | High ankle |
| Size: | EUR 38-46 |
| Guarantee: | 6 months |
| Function: | Slip/ oil/ impact/ puncture resistant, anti static, shock absorption |
| Package: | 1 pair per color box, 10 pairs per carton. Carton size is 59 x 44 x 33 cm |
| Load quantity of Container: | 3200pairs /1x20' container 6400pairs /1x40' container |

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY