

Product Name:	Genuine leather work time safety shoes
Item No:	3081
Upper and Sole:	Genuine leather upper, PU dual density sole.
Toe:	1. Steel toe cap to be impact resistant . (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of <b>fitting</b> to choose from)
	2. non-steel toe is also provided.
Steel plate : (steel midsole)	1. Steel plate to be puncture resistant. (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel plate is also provided
Collar:	PU padded with heavy duty sponge.
Tongue:	perfect soft genuine leather
Lining:	MESH FABRIC
Sockliner:	Comfortable cushion
Construction:	PU injection
Height:	Middle Cut
Size:	4—12 (38-46)
Guarantee:	3 month, heavy duty and solid quality.
Package:	Color inner box packing, 10 pairs in a carton
Carton Size	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
Load quantity of Container:	3300-3500pairs /1x20' container 8200-8500pairs /1x40' HQ container

#### FAQ:

##### 1.Question: What is your MOQ ?

----Our MOQ is 1000 pairs per style with mixed size.

##### 2.Question: Can I ask one pair samples before place order?

----Yes we can send you one pair sample for free as your quality check, but customer need to pay courier cost by themselves ,such as DHL, TNT, Fedex, EMS etc.

##### 3.Question: Do you have CE certificate ,we need it to clear custom?

----Yes, our products can meet CE standard ,and we have cooperation relationship with different international labs, including interteck from UK, CTC from France SABS from South Africa etc

##### 4.Question: What is your payment , how can we pay you ?

----Our company can accept both T/T, and L/C payment. If you have any other payment requirements ,please leave message or contact our online salesman directly.

##### 5. Question: What is the quality guarantee time?

----This sytle safety shoes are offered 3 month quality guarantee after shipping. If the shoes are broken within 3 month, please contact us, we will compensate you new shoes without any payment.

#### Safety shoes detailed pictures:













**Safety shoes sole model show:**





**CE certificate for safety shoes:**





## EC Type Examination Certificate



### Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design category products.

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation.

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd.  
Centre Court  
Meridian Business Park  
Leicester, LE19 1WD  
United Kingdom  
Phone: +44 (0)116 263 0330  
Fax: +44 (0)116 263 0311



[www.intertek.com](http://www.intertek.com)

<b>Issued to</b>	: RUIAN HONGSUN SHOES CO., LTD. QIANBU INDUSTRIAL ZONE, XINCHENG TOWN, RUIAN CITY, ZHEJIANG PROVINCE, CHINA
<b>Authorised Representative</b>	: HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. Lixin Village, Xinhua Town, Acheng District, Harbin, Heilongjiang Province, China
<b>Date of Issue</b>	: 13 January 2016
<b>Expiry Date</b>	: 11 February 2020
<b>Certificate No.</b>	: LEC FI00362467 (Extension of certificate LEC FI00347154)
<b>Product Reference(s)</b>	: Safety Shoes H8K01, H8K02 H8K03, H8K04 H8K05, H8K06 H8K07, H8K08 H8K09, H8K10
<b>Description</b>	: Construction : Injection Toecap : Steel toecap Midsole : Steel plate Last : 8000 Sole : 8000 PU/PU Mould : 8000 Test Report(s) : See technical file Size Range : 38-46 Category : SBP SRA



Assessor

13/01/2016

Date



Certification Manager

13/01/2016

Date

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek.