

## Product Description

Product Name:	TPU sole suede leather sport safety shoes steel toe cap
Item No:	JK015
Upper and Sole:	Suede leather & high density oxford fabric PU & TPU sole
Toe cap:	Steel toe to be impact resistant 200 joules. (ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non steel toe is also provided.
Mid sole:	Non-metallic anti-penetration mid soles to be puncture resistant 1100 newton.(ASTM F2413-18 M I/75 C/75, CE EN ISO 20345 standard) Non steel plate is also provided.
Weight:	480 grams per piece
Lace:	Durable flat shoes lace
Collar:	High density oxford fabric
Tongue:	High density oxford fabric
Lining:	Air mesh fabric
Insoles:	Moulded EVA or HI-POLY or PU
Construction:	PU injection
Height:	Low ankle
Size:	EUR 38-46
Guarantee:	6 months
Function:	Slip/ oil/ impact/ puncture resistant, anti static, water proof, shock absorption
Package:	1 pair per color box, 10 pairs per carton. Carton size is 58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY