

Product Description

Product Name:	Electrical Engineer dielectric safety shoes sport
Item No:	TMC001L
Upper and Sole:	Upper: PU artificial leather & oxford fabric Sole: Rubber
Toe:	1. Composite toe cap to be impact resistant 200 Joules. 2. non-steel toe is also provided.
Midsole :	Non-metallic anti-penetration mid sole, it can be puncture resistant 1100 newton.
Weight:	1.1 kgs/pr
Collar & tongue:	High density fabric
Lining:	Breathable grey air & dry mesh fabric (your feet will be kept dry and comfortable)
Insole:	Moulded HI-POLY or others (Greatly reduce your pain & fatigue from daily work)
Function:	Oil and slip resistant, impact and puncture resistant, dielectric
Construction:	Cemented
Height:	Low ankle
Size:	37-47 (3-13)
Standard:	SB-P or others as your requirements
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





Company Information

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

