

We are safety shoes factory & manufacturer & supplier

Product Description

Product Name:	PU injection nubuck leather light weight composite toe working safety boots
Item No:	PEP002
Upper and Sole:	Upper: Nubuck leather Sole: PU & EVA & PU
Toe:	1. Composite toe cap (or steel toe cap) to be impact resistant (200 joules) 2. non is also provided.
Midsole :	1. Kevlar insoles (or steel plate) to be puncture resistant (1100 Newton). 2. non is also provided
Collar:	PU artificial leather with sponge
Tongue:	High density oxford fabric
Lining:	Black air & dry mesh fabric (it will be kept your feet dry & comfortable from daily work)
Sockliner:	Moulded HI-POLY or PU (Greatly reduce your feet pain & fatigue from daily work)
Construction:	PU injection
Height:	High ankle
Size:	38-46 (4-12)
Standard:	CE EN ISO 20345:2011 SB-P or others as your requirements
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	59 x 44 x 33 cm (41-43)
Load quantity of Container:	3200pairs /1x20' container 6400pairs /1x40' container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	POWELL HONGKONG LIMITED, LTD. SUNSHINE INDUSTRIAL ZONE, SHICHANG TOWN, NINGBO 321117, ZHEJIANG PROVINCE, CHINA																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square East, Jersey Science Centre, Paraga Park, Singapore																		
	Date of Issue:	11 January 2018																		
	Expiry Date:	11 February 2020																		
	Certificate No.:	LEC170002947 (extension of certificate LEC170294194)																		
	Product Reference(s):	Safety Group: 48501-48600 48600-48604 48604-48608 48608-48612 48612-48616 48616-48619 48619-48624																		
	Description:	<table border="0"> <tr> <td>Construction:</td> <td>Insulation</td> </tr> <tr> <td>Working Voltage:</td> <td>Over voltage</td> </tr> <tr> <td>Material:</td> <td>Over voltage</td> </tr> <tr> <td>Level:</td> <td>0000</td> </tr> <tr> <td>Mode:</td> <td>0000 (P/NP)</td> </tr> <tr> <td>Mount:</td> <td>ACB</td> </tr> <tr> <td>Test Standard:</td> <td>Over-voltage Pt. 2</td> </tr> <tr> <td>Test Range:</td> <td>00-00</td> </tr> <tr> <td>Category:</td> <td>000-000</td> </tr> </table>	Construction:	Insulation	Working Voltage:	Over voltage	Material:	Over voltage	Level:	0000	Mode:	0000 (P/NP)	Mount:	ACB	Test Standard:	Over-voltage Pt. 2	Test Range:	00-00	Category:	000-000
Construction:	Insulation																			
Working Voltage:	Over voltage																			
Material:	Over voltage																			
Level:	0000																			
Mode:	0000 (P/NP)																			
Mount:	ACB																			
Test Standard:	Over-voltage Pt. 2																			
Test Range:	00-00																			
Category:	000-000																			
	Signature:	<i>C.M.</i> 15/1/2018																		
	Printed Name:	15/1/2018																		
	Signature:	15/1/2018																		
	Printed Name:	15/1/2018																		

The CE mark indicates that the product conforms to the applicable European Union (EU) harmonized standards and that the manufacturer is responsible for the product's compliance with the relevant EU requirements.



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY