

Product Description

Product Name:	Slip resistant composite toe cap women safety shoes fashionable
Item No:	TMC003
Upper and Sole:	Upper: Genuine cow suede leather & high density nylon fabric Sole: Rubber
Toe:	1. Composite toe cap to be impact resistant 200 Joules. 2. non-steel toe is also provided.
Midsole :	Non-metallic anti-penetration mid sole, it can be puncture resistant 1100 newton.
Weight:	1.1 kgs/pr
Tongue:	Red high density fabric
Lining:	Breathable grey air & dry mesh fabric (your feet will be kept dry and comfortable)
Insole:	Moulded HI-POLY or others (Greatly reduce your pain & fatigue from daily work)
Function:	Oil and acid resistant, impact and puncture resistant, non slip, anti static
Construction:	Cemented
Height:	Low ankle
Size:	37-47 (3-13)
Standard:	S1-P or others as your requirements
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton.
Carton Size	58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	POWELL HONGKONG 59882 CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN 2017, SHANGHAI PROVINCE, CHINA																		
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square East, Jersey Square, Singapore Singapore 131594, CHINA																		
	Date of Issue:	13 January 2018																		
	Expiry Date:	11 February 2020																		
	Certificate No.:	LEC170002947 (extension of certificate LEC170294194)																		
	Product Reference(s):	Safety Group: 48001-48002 48003-48004 48005-48006 48007-48008 800-801, 804-807																		
	Description:	<table border="0"> <tr> <td>Construction:</td> <td>Industrial</td> </tr> <tr> <td>Usage:</td> <td>Door opener</td> </tr> <tr> <td>Material:</td> <td>Steel plate</td> </tr> <tr> <td>Color:</td> <td>SS02</td> </tr> <tr> <td>Size:</td> <td>800 (Height)</td> </tr> <tr> <td>Mount:</td> <td>ACU</td> </tr> <tr> <td>Open Method:</td> <td>One-handed fit</td> </tr> <tr> <td>Gate Range:</td> <td>30-45</td> </tr> <tr> <td>Category:</td> <td>800-804</td> </tr> </table>	Construction:	Industrial	Usage:	Door opener	Material:	Steel plate	Color:	SS02	Size:	800 (Height)	Mount:	ACU	Open Method:	One-handed fit	Gate Range:	30-45	Category:	800-804
Construction:	Industrial																			
Usage:	Door opener																			
Material:	Steel plate																			
Color:	SS02																			
Size:	800 (Height)																			
Mount:	ACU																			
Open Method:	One-handed fit																			
Gate Range:	30-45																			
Category:	800-804																			
	Signature:	168122918 Date																		
	Printed:	168122918 Date																		
	Issued by:	Intertek (UK) Limited 110, South Colindale Avenue, London NW9 1EQ, United Kingdom																		



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

